





Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Delta	AFB02505LA	25x25x10	5	0.20	2 Ball	0.85	1.15	18.00		
Cooltron	FD2510B05W3-11			0.25	2 Ball	1.40	1.60	15.50		
Cooltron	FD2510B05W3-81			0.70	2 Ball	1.40	1.50	20.40		
Cooltron	FD2510B05W3-71			0.50	2 Ball	1.60	4.30	18.90		
Delta	AFB02505MA			0.30	2 Ball	1.20	2.18	20.00		
Cooltron	FD2510B05W5-11			0.40	2 Ball	1.60	2.20	17.50		
Cooltron	FD2510B05W5-81			0.85	2 Ball	2.20	3.60	24.70		
Cooltron	FD2510B05W3-71			0.50	2 Ball	1.60	4.30	18.90		
Delta	AFB02505HA			0.60	2 Ball	1.84	4.48	23.50		
Cooltron	FD2510B05W9-11			0.70	2 Ball	2.50	5.40	23.30		
Cooltron	FD2510B05W7-81			1.00	2 Ball	2.90	5.80	30.60		
Cooltron	FD2510B05W7-71			0.80	2 Ball	2.20	6.10	24.00		
Delta	AFB02505HHA			0.80	2 Ball	2.40	7.65	28.00		
Cooltron	FD2510B05W9-71			1.00	2 Ball	2.90	8.00	29.40		
Delta	AFB02512MA			12	0.48	2 Ball	1.20	2.18		20.00
Cooltron	FD2510B12W5-11				0.64	2 Ball	1.60	2.20		17.50
Cooltron	FD2510B12W5-81	1.32	2 Ball		2.20	3.60	24.70			
Cooltron	FD2510B12W3-71	0.72	2 Ball		1.60	4.30	18.90			
Delta	AFB02512HA	0.72	2 Ball		1.84	4.48	23.50			
Cooltron	FD2510B12W9-11	1.14	2 Ball		2.50	5.40	23.30			

Cross List - Cooltron vs Delta


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Cooltron	FD2510B12W7-81	25x25x10	12	1.68	2 Ball	2.90	5.80	30.60		
	FD2510B12W7-71			0.84	2 Ball	2.20	6.10	24.00		
Delta	AFB02512HHA			0.96	2 Ball	2.40	7.65	28.00		
Cooltron	FD2510B12W9-71			1.56	2 Ball	2.90	8.00	29.40		
Delta	AFB0305LA	30x30x10	5	0.35	2 Ball	2.37	1.00	17.50		
Cooltron	FD3010B05W3-81			0.70	2 Ball	2.10	1.80	19.90		
	FD3010B05W3-71			0.50	2 Ball	2.50	2.70	18.30		
Delta	AFB0305MA			0.55	2 Ball	3.00	1.50	20.00		
Cooltron	FD3010B05W5-81			0.85	2 Ball	3.10	3.60	25.30		
	FD3010B05W7-71			0.90	2 Ball	3.70	3.90	22.50		
Delta	AFB0305HA			0.80	2 Ball	3.53	2.50	25.00		
Cooltron	FD3010B05W7-81			1.00	2 Ball	4.40	5.90	29.90		
	FD3010B05W7-71			0.90	2 Ball	3.70	3.90	22.50		
Delta	AFB0312LA			12	0.60	2 Ball	2.37	1.00		17.50
Cooltron	FD3010B12W3-81				0.96	2 Ball	2.10	1.80		19.90
	FD3010B12W3-71				0.72	2 Ball	2.50	2.70		18.30
Delta	AFB0312MA				0.84	2 Ball	3.00	1.50		20.00
Cooltron	FD3010B12W5-81				1.32	2 Ball	3.10	3.60		25.30
	FD3010B12W7-71	1.32	2 Ball		3.70	3.90	22.50			

Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Delta	AFB0312HA	30x30x10	12	1.08	2 Ball	3.53	2.50	25.00	
Cooltron	FD3010B12W7-81			1.68	2 Ball	4.40	5.90	29.90	
	FD3010B12W7-71			1.32	2 Ball	3.70	3.90	22.50	
Delta	AFB03505LA	35x35x10	5	0.30	2 Ball	3.36	1.21	15.00	 FD3510-71
Cooltron	FD3510B05W3-71			0.70	2 Ball	3.60	1.30	19.70	
Delta	AFB03505MA			0.50	2 Ball	4.50	1.90	18.00	
Cooltron	FD3510B05W5-71			1.10	2 Ball	5.20	2.50	25.10	
Delta	AFB03505HA			0.70	2 Ball	5.50	2.70	22.00	
Cooltron	FD3510B05W7-71		1.20	2 Ball	6.50	3.80	31.40		
Delta	AFB03512MA		12	0.60	2 Ball	4.50	1.90	18.00	
Cooltron	FD3510B12W5-71			1.30	2 Ball	5.20	2.50	25.10	
Delta	AFB03512HA			1.08	2 Ball	5.50	2.70	22.00	
Cooltron	FD3510B12W7-71			1.70	2 Ball	6.50	3.80	31.40	
Delta	EFB0405LA	40x40x10	5	0.35	2 Ball	3.74	1.45	20.50	 FD4010-81
Cooltron	FD4010B05W3-81			0.80	2 Ball	5.60	1.50	20.10	
	FD4010B05W5-82			0.92	2 Ball	5.70	1.60	24.50	
	FD4010B05W3-71			0.40	2 Ball	4.60	2.40	20.50	
Delta	EFB0405MA			0.50	2 Ball	5.90	2.24	24.50	

**DELTA IS REGISTERED TRADEMARK OF DELTA ELECTRONICS, INC.


Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FD4010B05W5-81	40x40x10	5	0.95	2 Ball	7.40	2.20	23.10	 <p>FD4010-82</p> <p>FD4010-71</p>
	FD4010B05W7-82			2.10	2 Ball	7.50	2.10	28.80	
	FD4010B05W5-71			0.50	2 Ball	5.80	2.50	24.10	
Delta	EFB0405HA			0.65	2 Ball	6.92	3.28	28.50	
Cooltron	FD4010B05W7-81			2.10	2 Ball	8.80	3.20	27.20	
	FD4010B05W7-71			0.80	2 Ball	6.60	3.40	25.50	
Delta	EFB0412LA		12	0.60	2 Ball	3.74	1.45	20.50	
Cooltron	FD4010B12W3-81			1.68	2 Ball	5.60	1.50	20.10	
	FD4010B12W5-82			1.92	2 Ball	5.70	1.60	24.50	
	FD4010B12W3-71			0.60	2 Ball	4.60	2.40	20.50	
Delta	EFB0412MA			0.72	2 Ball	5.90	2.24	24.50	
Cooltron	FD4010B12W5-81			1.92	2 Ball	7.40	2.20	23.10	
	FD4010B12W7-82	2.16	2 Ball	7.50	2.10	28.80			
	FD4010B12W5-71	0.72	2 Ball	5.80	2.50	24.10			
Delta	EFB0412HA	0.96	2 Ball	6.92	3.28	28.50			
Cooltron	FD4010B12W7-81	2.16	2 Ball	8.80	3.20	27.20			
	FD4010B12W7-71	0.84	2 Ball	6.60	3.40	25.50			
Delta	EFB0405LD	40x40x20	5	0.50	2 Ball	5.54	3.45	22.00	
Cooltron	FD4020B05W7-81			2.20	2 Ball	10.20	3.80	31.00	

Cross List - Cooltron vs Delta


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
	FD4020B05W7-71	40x40x20	5	0.80	2 Ball	7.30	4.10	28.20	 <p>FD4020-81</p> <p>FD4020-71</p>	
Delta	EFB0405MD			0.75	2 Ball	7.17	5.54	24.00		
Cooltron	FD4020B05W9-81			2.50	2 Ball	10.90	5.50	35.20		
	FD4020B05W9-71			1.30	2 Ball	8.90	5.70	32.60		
Delta	EFB0412LD		12	0.60	2 Ball	5.54	3.45	22.00		
Cooltron	FD4020B12W7-81			2.88	2 Ball	10.20	3.80	31.00		
	FD4020B12W7-71			1.32	2 Ball	7.30	4.10	28.20		
Delta	EFB0412MD			0.72	2 Ball	7.17	5.54	24.00		
Cooltron	FD4020B12W9-81			3.36	2 Ball	10.90	5.50	35.20		
	FD4020B12W9-71			1.56	2 Ball	8.90	5.70	32.60		
Delta	EFB0424LD			24	0.96	2 Ball	5.54	3.45		22.00
Cooltron	FD4020B24W7-81				3.12	2 Ball	10.20	3.80		31.00
	FD4020B24W7-71		1.92		2 Ball	7.30	4.10	28.20		
Delta	EFB0424MD		1.20		2 Ball	7.17	5.54	24.00		
Cooltron	FD4020B24W9-81		3.60		2 Ball	10.90	5.50	35.20		
	FD4020B24W9-71		2.40		2 Ball	8.90	5.70	32.60		
Delta	PFB0412HHN-B	40x40x28	12	2.40	2 Ball	12.76	12.94	38.80		

Cross List - Cooltron vs Delta










Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Cooltron	FD4028B12W7-11	40x40x28	12	2.52	2 Ball	13.60	12.40	41.20		
	FD4028B12W7-81			5.04	2 Ball	18.10	14.70	48.30		
Delta	PFB0412VHN-B			3.12	2 Ball	14.91	17.62	43.50		
Cooltron	FD4028B12W8-11			5.88	2 Ball	19.00	21.80	45.10		
	FD4028B12W9-81			6.96	2 Ball	21.10	19.60	52.70		
Delta	PFB0412SHN-B			5.04	2 Ball	18.75	27.69	51.50		
Cooltron	FD4028B12W9-11			7.80	2 Ball	23.30	29.90	53.40		
Delta	AFB04505LA			45x45x10	5	0.70	2 Ball	7.70		2.05
Cooltron	FD4510B05W5-81	1.40	2 Ball			10.30	2.50	27.50		
Delta	AFB04505MA	1.00	2 Ball			9.85	3.22	30.00		
Cooltron	FD4510B05W7-81	1.90	2 Ball			10.50	3.30	31.70		
Delta	AFB04512LA	12	0.96			2 Ball	7.70	2.05	24.50	
Cooltron	FD4510B12W5-81		1.80			2 Ball	10.30	2.50	27.50	
Delta	AFB04512MA		1.32			2 Ball	9.85	3.22	30.00	
Cooltron	FD4510B12W7-81		2.76			2 Ball	10.50	3.30	31.70	

**DELTA IS REGISTERED TRADEMARK OF DELTA ELECTRONICS, INC.

Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image		
Delta	EFB0505LA	50x50x10	5	0.35	2 Ball	7.50	1.72	18.00			
Cooltron	FD5010B05W5-81			1.20	2 Ball	9.70	2.00	26.10			
	FD5010B05W3-61			0.70	2 Ball	8.90	1.60	21.30			
	FD5010B05W3-71			0.60	2 Ball	7.50	1.80	20.20			
Delta	EFB0505MA					0.65	2 Ball	9.21		2.87	25.00
Cooltron	FD5010B05W7-81			1.50	2 Ball	10.80	2.60	29.80			
	FD5010B05W5-61			1.00	2 Ball	11.30	2.60	27.20			
	FD5010B05W7-71			1.10	2 Ball	11.40	2.80	29.20			
Delta	EFB0512LA				12	0.60	2 Ball	7.50		1.72	18.00
Cooltron	FD5010B12W5-81			1.32		2 Ball	9.70	2.00		26.10	
	FD5010B12W3-61			0.84		2 Ball	8.90	1.60		21.30	
	FD5010B12W3-71			0.72		2 Ball	7.50	1.80		20.20	
Delta	EFB0512MA			0.96		2 Ball	9.21	2.87	25.00		
Cooltron	FD5010B12W7-81	1.68	2 Ball	10.80		2.60	29.80				
	FD5010B12W5-61	0.96	2 Ball	11.30		2.60	27.20				
	FD5010B12W7-71	1.56	2 Ball	11.40		2.80	29.20				
Delta	AFB0505LB	50x50x15	5	0.75		2 Ball	9.89	3.20	24.00		
Cooltron	FD5015B05W7-11			1.60		2 Ball	16.00	3.70	30.60		

Cross List - Cooltron vs Delta




Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image		
Cooltron	FD5015B05W5-81	50x50x15	5	2.50	2 Ball	9.90	3.10	30.20	   FD5015-81    FD5015-11    FD5015-61		
	FD5015B05W3-61			1.00	2 Ball	11.20	3.30	28.10			
Delta	AFB0512LB		12	0.72	2 Ball	9.89	3.20	24.00			
Cooltron	FD5015B12W7-11			2.04	2 Ball	16.00	3.70	30.60			
	FD5015B12W5-81			2.40	2 Ball	9.90	3.10	30.20			
	FD5015B12W3-61		1.56	2 Ball	11.20	3.30	28.10				
Delta	AFB0524LB		24	1.20	2 Ball	9.89	3.20	24.00			
Cooltron	FD5015B24W7-11			2.16	2 Ball	16.00	3.70	30.60			
	FD5015B24W5-81			2.88	2 Ball	9.90	3.10	30.20			
	FD5015B24W3-61			1.44	2 Ball	11.20	3.30	28.10			
Delta	AFB0512LD		50x50x20	12	0.72	2 Ball	10.98	2.42		25.00	
Cooltron	FD5020B12W5-11				1.08	2 Ball	12.60	4.10		27.20	
	FD5020B12W3-81	1.92			2 Ball	12.90	3.40	31.60			

**DELTA IS REGISTERED TRADEMARK OF DELTA ELECTRONICS, INC.


Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Delta	AFB0505MD	50x50x20	12	0.84	2 Ball	13.39	3.48	28.00	
Cooltron	FD5020B12W7-11			1.32	2 Ball	14.40	5.70	31.50	
	FD5020B12W5-81			2.40	2 Ball	16.30	5.40	36.40	
Delta	AFB0505HD			1.20	2 Ball	15.79	4.62	33.00	
Cooltron	FD5020B12W7-81			2.88	2 Ball	17.60	7.50	39.80	
Delta	EFB0612LA	60x60x10	12	0.84	2 Ball	13.42	1.65	24.50	
Cooltron	FD6010B12W2-81			2.40	2 Ball	14.50	1.55	31.20	
	FD6010B12W2-71			1.56	2 Ball	14.80	2.00	26.40	
Delta	EFB0612MA			0.96	2 Ball	15.54	2.40	29.00	
Cooltron	FD6010B12W3-81			3.00	2 Ball	17.30	3.10	35.60	
	FD6010B12W3-71			2.04	2 Ball	18.30	2.90	30.70	

Cross List - Cooltron vs Delta



Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Delta	EFB0612HA	60x60x10	12	1.44	2 Ball	18.01	3.35	33.00	 FD6010-71
Cooltron	FD6010B12W5-81			3.60	2 Ball	19.50	4.10	39.20	
	FD6010B12W5-71			2.76	2 Ball	22.10	4.10	35.00	
Delta	AFB0605LB	60x60x15	5	0.65	2 Ball	11.55	2.21	24.00	 FD6015-81
Cooltron	FD6015B05W3-81			2.75	2 Ball	15.80	2.30	24.10	
Delta	AFB0605MB			1.00	2 Ball	13.45	3.01	29.00	
Cooltron	FD6015B05W5-81			3.50	2 Ball	20.70	3.80	29.80	
Delta	AFB0605HB			1.50	2 Ball	15.36	3.93	32.00	
Cooltron	FD6015B05W7-81			4.25	2 Ball	25.00	5.20	35.00	
Delta	AFB0605HHB			2.00	2 Ball	17.30	4.97	35.00	
Cooltron	FD6015B05W7-81		4.25	2 Ball	25.00	5.20	35.00	 FD6015-82	
Delta	AFB0612LB		12	0.84	2 Ball	11.55	2.21		24.00
Cooltron	FD6015B12W3-81			1.80	2 Ball	15.80	2.30		24.10
	FD6015B12W3-82			1.80	2 Ball	14.90	2.30		26.30
Delta	AFB0612MB			0.96	2 Ball	13.45	3.01		29.00
Cooltron	FD6015B12W5-81			3.00	2 Ball	20.70	3.80		29.80
Delta	AFB0612HB			1.20	2 Ball	15.36	3.93		32.00

Cross List - Cooltron vs Delta



Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Cooltron	FD6015B12W7-81	60x60x15	12	4.20	2 Ball	25.00	5.20	35.00	 <p>FD6015-81</p>	
Delta	AFB0612HHB			1.44	2 Ball	17.30	4.97	35.00		
Cooltron	FD6015B12W7-81			4.20	2 Ball	25.00	5.20	35.00		
Delta	AFB0612VHB			1.92	2 Ball	19.42	6.10	37.00		
Cooltron	FD6015B12W9-81			5.40	2 Ball	30.20	7.40	39.10		
Delta	AFB0624LB			0.96	2 Ball	11.55	2.21	24.00		
Cooltron	FD6015B24W3-81		24	24	2.40	2 Ball	15.80	2.30		24.10
Delta	AFB0624MB				1.44	2 Ball	13.45	3.01		29.00
Cooltron	FD6015B24W5-81				3.60	2 Ball	20.70	3.80		29.80
Delta	AFB0624HB				1.92	2 Ball	15.36	3.93		32.00
Cooltron	FD6015B24W7-81				4.80	2 Ball	25.00	5.20		35.00
Delta	AFB0624HHB				2.40	2 Ball	17.30	4.97		35.00
Cooltron	FD6015B24W7-81				4.80	2 Ball	25.00	5.20		35.00
Delta	AFB0624VHB				2.64	2 Ball	19.42	6.10		37.00
Cooltron	FD6015B24W9-81				6.00	2 Ball	30.20	7.40		39.10
Delta	AFB0612LD				60x60x20	12	0.84	2 Ball		13.06
Delta	LFB0612LD	0.60	2 Ball	11.10			2.77	24.00		
Cooltron	FD6020B12W5-81	1.92	2 Ball	19.30			3.70	30.00		
	FD6020B12W5-71	2.04	2 Ball	20.90			3.80	28.20		

**DELTA IS REGISTERED TRADEMARK OF DELTA ELECTRONICS, INC.


Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Delta	AFB0612MD	60x60x20	12	1.08	2 Ball	14.83	3.83	26.00	
	LFB0612MD			0.84	2 Ball	12.89	3.59	27.50	
Cooltron	FD6020B12W5-81			1.92	2 Ball	19.30	3.70	30.00	
	FD6020B12W5-71			2.04	2 Ball	20.90	3.80	28.20	
Delta	AFB0612HD			1.32	2 Ball	16.60	4.80	28.00	
	LFB0612HD			1.08	2 Ball	13.77	4.24	29.50	
Cooltron	FD6020B12W7-81			2.16	2 Ball	22.20	4.90	33.10	
Delta	AFB0612HHD			1.80	2 Ball	18.36	5.81	31.00	
	LFB0612HHD			1.20	2 Ball	16.18	5.68	33.50	
Cooltron	FD6020B12W9-81			2.40	2 Ball	25.20	6.10	37.00	
Delta	AFB0612L	60x60x25	12	0.96	2 Ball	16.81	2.86	26.50	
	NFB0612L			0.84	2 Ball	15.08	2.58	26.40	
Cooltron	FD6025B12W5-21			1.44	2 Ball	20.80	3.90	28.60	
	FD6025B12W3-81			2.40	2 Ball	22.40	3.60	30.40	
	FD6025B12W5-71			1.68	2 Ball	21.70	4.00	28.40	
Delta	AFB0612M			1.56	2 Ball	19.78	3.93	31.00	
	NFB0612M			1.08	2 Ball	17.41	3.48	31.30	
Cooltron	FD6025B12W5-21			1.44	2 Ball	20.80	3.90	28.60	
	FD6025B12W5-81			3.00	2 Ball	24.30	5.00	34.60	


Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FD6025B12W5-71	60x60x25	12	1.68	2 Ball	21.70	4.00	28.40	 <p>FD6025-71</p>
Delta	AFB0612H			1.68	2 Ball	23.38	5.35	34.00	
	NFB0612H			1.56	2 Ball	20.98	4.89	35.10	
Cooltron	FD6025B12W7-21			2.16	2 Ball	26.20	5.70	33.00	
	FD6025B12W7-81			5.40	2 Ball	30.20	6.90	38.80	
	FD6025B12W7-71			2.64	2 Ball	27.10	7.20	33.30	
Delta	AFB0612HH			2.04	2 Ball	27.55	7.47	40.00	
	NFB0612HH			2.16	2 Ball	24.90	6.66	40.70	
Cooltron	FD6025B12W9-21			5.04	2 Ball	41.30	14.60	46.60	
	FD6025B12W9-81			6.60	2 Ball	35.10	8.90	42.90	
Delta	AFB0612VH			2.76	2 Ball	30.48	8.76	42.50	
Cooltron	FD6025B12W9-21			5.04	2 Ball	41.30	14.60	46.60	
	FD6025B12W9-81			6.60	2 Ball	35.10	8.90	42.90	
Delta	AFB0612SH			3.24	2 Ball	34.15	10.73	44.50	
Cooltron	FD6025B12W9-21			5.04	2 Ball	41.30	14.60	46.60	
	FD6025B12W11-81			10.20	2 Ball	40.20	11.50	47.00	
Delta	AFB0612EH			4.56	2 Ball	38.35	13.81	46.50	
Cooltron	FD6025B12W9-21			5.04	2 Ball	41.30	14.60	46.60	 <p>FD6025-21</p>
Delta	AFB0624L			24	1.44	2 Ball	16.81	2.86	
Cooltron	FD6025B24W7-21		24	2.16	2 Ball	26.20	5.70	33.00	

Cross List - Cooltron vs Delta



Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FD6025B24W3-81	60x60x25	24	3.36	2 Ball	22.40	3.60	30.40	
	FD6025B24W5-71			2.40	2 Ball	21.70	4.00	28.40	
Delta	AFB0624M			1.68	2 Ball	19.78	3.93	31.00	
Cooltron	FD6025B24W7-21			2.16	2 Ball	26.20	5.70	33.00	
	FD6025B24W5-81			3.84	2 Ball	24.30	5.00	34.60	
	FD6025B24W5-71			2.40	2 Ball	21.70	4.00	28.40	
Delta	AFB0624H			2.16	2 Ball	23.38	5.35	34.00	
Cooltron	FD6025B24W7-21			2.16	2 Ball	26.20	5.70	33.00	
	FD6025B24W7-81			4.32	2 Ball	30.20	6.90	38.80	
	FD6025B24W7-71			3.36	2 Ball	27.10	7.20	33.30	
Delta	AFB0624HH			2.64	2 Ball	27.55	7.47	40.00	
Cooltron	FD6025B24W9-21			5.04	2 Ball	41.30	14.60	46.60	
	FD6025B24W9-81			6.72	2 Ball	35.10	8.90	42.90	
Delta	AFB0624VH			3.36	2 Ball	30.48	8.76	42.50	
Cooltron	FD6025B24W9-21			5.04	2 Ball	41.30	14.60	46.60	
	FD6025B24W9-81			6.72	2 Ball	35.10	8.90	42.90	
Delta	AFB0624SH			4.08	2 Ball	34.15	10.73	44.50	
Cooltron	FD6025B24W9-21			5.04	2 Ball	41.30	14.60	46.60	
	FD6025B24W11-81	8.40	2 Ball	40.20	11.50	47.00			
Delta	AFB0624EH	5.76	2 Ball	38.35	13.81	46.50			

Cross List - Cooltron vs Delta


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Cooltron	FD6025B24W9-21	60x60x25	24	5.04	2 Ball	41.30	14.60	46.60	 FD6025-81	
Delta	AFB0648HH		48	3.84	2 Ball	27.55	7.47	40.00		
	FD6025B48W9-81			6.72	2 Ball	35.10	8.90	42.90		
Delta	AFB0648VH			4.32	2 Ball	30.48	8.76	42.50		
	FD6025B48W9-81			6.72	2 Ball	35.10	8.90	42.90		
Delta	AFB0648SH			5.28	2 Ball	34.15	10.73	44.50		
	FD6025B48W11-81			9.60	2 Ball	40.20	11.50	47.00		
Delta	AFB0612LE			60x60x38	12	2.76	2 Ball	28.81		7.76
Cooltron	FD6038B12W5-11	3.12	2 Ball			33.60	12.60	45.60		
	FD6038B12W3-81	3.60	2 Ball			35.00	8.40	51.70		
Delta	AFB0612ME	3.96	2 Ball			34.34	11.23	42.00		
Cooltron	FD6038B12W7-11	5.40	2 Ball			39.70	17.00	49.50		
	FD6038B12W5-81	6.00	2 Ball			40.30	11.70	56.20		
Delta	AFB0612HE	5.40	2 Ball			40.22	15.18	46.00		
	PFB0612SHE	5.76	2 Ball			43.57	23.32	50.50		
Cooltron	FD6038B12W9-11	8.64	2 Ball			46.90	23.60	53.40		
	FD6038B12W7-81	9.60	2 Ball			45.30	15.80	59.60		
Delta	AFB0624LE	24	3.12			2 Ball	28.81	7.76	37.00	
Cooltron	FD6038B24W5-11		4.08			2 Ball	33.60	12.60	45.60	

**DELTA IS REGISTERED TRADEMARK OF DELTA ELECTRONICS, INC.


Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image			
Cooltron	FD6038B24W3-81	60x60x38	24	6.00	2 Ball	35.00	8.40	51.70	 FD6038-81			
Delta	AFB0624ME			4.32	2 Ball	34.34	11.23	42.00				
Cooltron	FD6038B24W7-11			6.00	2 Ball	39.70	17.00	49.50				
	FD6038B24W5-81			8.40	2 Ball	40.30	11.70	56.20				
Delta	AFB0624HE			6.00	2 Ball	40.22	15.18	46.00				
	PFB0624SHE			6.72	2 Ball	43.57	23.32	50.50				
Cooltron	FD6038B24W9-11			8.04	2 Ball	46.90	23.60	53.40				
	FD6038B24W7-81			10.80	2 Ball	45.30	15.80	59.60				
Delta	AFB0712LB			70x70x15	12	0.96	2 Ball	23.38		2.27	26.50	 FD7015-81 FD7015-61
Cooltron	FD7015B12W3-81					1.80	2 Ball	24.90		2.20	25.00	
	FD7015B12W3-61	1.92	2 Ball			22.90	2.30	30.10				
Delta	AFB0712MB	1.68	2 Ball			28.18	3.12	31.00				
Cooltron	FD7015B12W5-81	3.00	2 Ball			30.10	3.12	31.40				
	FD7015B12W5-61	3.00	2 Ball			28.00	3.30	34.00				
Delta	AFB0712HB	2.16	2 Ball			33.20	4.12	34.50				
Cooltron	FD7015B12W7-81	4.80	2 Ball			37.00	4.40	34.80				
	FD7015B12W7-61	4.20	2 Ball			33.50	4.40	38.80				
Delta	AFB0712HHB	3.12	2 Ball			37.54	5.33	38.50				
Cooltron	FD7015B12W9-81	6.00	2 Ball			42.90	5.90	39.50				


Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Delta	AFB0724LB	70x70x15	24	1.44	2 Ball	23.38	2.27	26.50	 <p>FD7015-81</p>
Cooltron	FD7015B24W3-81			2.40	2 Ball	24.90	2.20	25.00	
	FD7015B24W3-61			2.88	2 Ball	22.90	2.30	30.10	
Delta	AFB0724MB			2.16	2 Ball	28.18	3.12	31.00	
Cooltron	FD7015B24W5-81			3.60	2 Ball	30.10	3.12	31.40	
	FD7015B24W5-61			3.84	2 Ball	28.00	3.30	34.00	
Delta	AFB0724HB			2.88	2 Ball	33.20	4.12	34.50	
Cooltron	FD7015B24W7-81			4.80	2 Ball	37.00	4.40	34.80	
	FD7015B24W7-61			6.00	2 Ball	33.50	4.40	38.80	
Delta	AFB0705L			70x70x25	5	0.75	2 Ball	16.95	
Cooltron	FD7025B05W1-81	1.25	2 Ball			22.40	2.50	25.60	
	FD7025B05W1-82	1.25	2 Ball			28.80	3.10	32.30	
	FD7025B05W2-71	1.50	2 Ball			24.20	3.20	24.10	
Delta	AFB0705M	1.10	2 Ball			20.13	3.15	28.00	
Cooltron	FD7025B05W2-81	2.25	2 Ball			27.60	3.70	32.10	
	FD7025B05W1-82	1.25	2 Ball			28.80	3.10	32.30	
	FD7025B05W2-71	1.50	2 Ball			24.20	3.20	24.10	
Delta	AFB0705H	2.00	2 Ball			24.01	4.46	32.00	
Cooltron	FD7025B05W3-81	3.25	2 Ball			34.00	5.10	35.50	


Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FD7025B05W2-82	70x70x25	12	2.25	2 Ball	35.30	4.70	37.90	 <p>FD7025-81</p> <p>FD7025-71</p>
	FD7025B05W3-71			2.75	2 Ball	32.50	5.10	30.50	
Delta	AFB0712L			0.96	2 Ball	16.95	2.45	24.50	
	AFB0712L (NEW)			0.84	2 Ball	21.16	1.99	23.00	
Cooltron	FD7025B12W1-81			1.56	2 Ball	22.40	2.50	25.60	
	FD7025B12W1-82			1.56	2 Ball	28.80	3.10	32.30	
	FD7025B12W2-71			1.80	2 Ball	24.20	3.20	24.10	
Delta	AFB0712M			1.20	2 Ball	20.13	3.15	28.00	
	LFB0712L			1.08	2 Ball	15.79	3.30	27.40	
Cooltron	FD7025B12W2-81			2.52	2 Ball	27.60	3.70	32.10	
	FD7025B12W1-82			1.56	2 Ball	28.80	3.10	32.30	
	FD7025B12W2-71			1.80	2 Ball	24.20	3.20	24.10	
Delta	AFB0712H			1.56	2 Ball	24.01	4.46	32.00	
	AFB0712M (NEW)			1.32	2 Ball	28.85	3.55	31.50	
	LFB0712M	1.20	2 Ball	17.90	4.07	30.20			
Cooltron	FD7025B12W5-81	7.20	2 Ball	40.00	6.90	41.20			
	FD7025B12W2-82	2.52	2 Ball	35.30	4.70	37.90			
	FD7025B12W3-71	2.40	2 Ball	32.50	5.10	30.50			
Delta	AFB0712HH	2.04	2 Ball	27.19	5.47	35.00			
	AFB0712H (NEW)	2.04	2 Ball	36.30	5.52	37.50			



Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Delta	LFB0712H	70x70x25	12	1.32	2 Ball	19.64	5.10	32.10	 <p>FD7025-81</p> <p>FD7025-71</p>
Cooltron	FD7025B12W5-81			7.20	2 Ball	40.00	6.90	41.20	
	FD7025B12W3-82			3.60	2 Ball	39.60	6.60	41.70	
	FD7025B12W7-71			4.80	2 Ball	41.00	7.60	36.00	
Delta	AFB0712HH (NEW)			3.72	2 Ball	44.01	7.89	44.00	
Cooltron	FD7025B12W7-81			10.20	2 Ball	45.10	8.40	44.40	
	FD7025B12W5-82			7.20	2 Ball	45.20	9.00	46.10	
Delta	AFB0712VH (NEW)			5.28	2 Ball	51.97	10.99	47.50	
Cooltron	FD7025B12W7-82			10.20	2 Ball	54.80	11.00	50.10	
Delta	AFB0724L			0.96	2 Ball	16.95	2.45	24.50	
	AFB0724L (NEW)			1.44	2 Ball	21.16	1.99	23.00	
Cooltron	FD7025B24W1-81			2.40	2 Ball	22.40	2.50	25.60	
	FD7025B24W1-82			2.40	2 Ball	28.80	3.10	32.30	
Delta	AFB0724M			1.20	2 Ball	20.13	3.15	28.00	
	AFB0724M (NEW)	2.16	2 Ball	28.85	3.55	31.50			
Cooltron	FD7025B24W2-81	3.60	2 Ball	27.60	3.70	32.10			
	FD7025B24W1-82	2.40	2 Ball	28.80	3.10	32.30			
Delta	AFB0724H	1.92	2 Ball	24.01	4.46	32.00			
Cooltron	FD7025B24W3-81	4.80	2 Ball	34.00	5.10	35.50			
	FD7025B24W2-82	3.60	2 Ball	35.30	4.70	37.90			


Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Delta	AFB0724HH	70x70x25	24	2.40	2 Ball	27.19	5.47	35.00	
	AFB0724H (NEW)			3.12	2 Ball	36.30	5.52	37.50	
Cooltron	FD7025B24W5-81			6.00	2 Ball	40.00	6.90	41.20	
	FD7025B24W3-82			4.80	2 Ball	39.60	6.60	41.70	
Delta	AFB0724HH (NEW)			4.32	2 Ball	44.01	7.89	44.00	
Cooltron	FD7025B24W7-81			9.60	2 Ball	45.10	8.40	44.40	
	FD7025B24W5-82			6.00	2 Ball	45.20	9.00	46.10	
Delta	AFB0724VH (NEW)			6.48	2 Ball	51.97	10.99	47.50	
Cooltron	FD7025B24W7-82			9.60	2 Ball	54.80	11.00	50.10	
Delta	AFB0812LB	80x80x15	12	1.08	2 Ball	24.72	2.20	27.50	
	EFB0812LB			1.20	2 Ball	29.62	1.71	30.00	
Cooltron	FD8015B12W1-81			1.80	2 Ball	30.20	2.90	30.50	
	FD8015B12W3-82			3.00	2 Ball	38.20	2.80	31.20	
	FD8015B12W7-71			2.04	2 Ball	31.10	2.50	33.50	
Delta	AFB0812MB			1.32	2 Ball	28.25	2.71	30.50	
Cooltron	FD8015B12W1-81			1.80	2 Ball	30.20	2.90	30.50	
	FD8015B12W3-82			3.00	2 Ball	38.20	2.80	31.20	
Delta	AFB0812HB			1.68	2 Ball	33.55	3.50	34.00	
	EFB0812MB			1.56	2 Ball	36.02	2.51	33.00	


Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image			
Cooltron	FD8015B12W3-81	80x80x15	12	3.00	2 Ball	36.20	4.30	35.80	 <p>FD8015-81</p>			
	FD8015B12W5-82			4.20	2 Ball	43.70	4.00	35.00				
Delta	AFB0812HHB			1.92	2 Ball	35.67	4.03	37.00				
Cooltron	FD8015B12W3-81			3.00	2 Ball	36.20	4.30	35.80				
	FD8015B12W5-82			4.20	2 Ball	43.70	4.00	35.00				
Delta	AFB0812VHB			2.28	2 Ball	39.20	4.77	39.50				
	EFB0812HB			2.52	2 Ball	42.37	3.42	37.00				
Cooltron	FD8015B12W5-81			4.20	2 Ball	41.30	5.70	40.40				
	FD8015B12W7-82			6.00	2 Ball	48.20	5.10	39.90				
Delta	AFB0812SHB			3.24	2 Ball	42.73	5.49	42.50				
	EFB0812HHB			3.96	2 Ball	48.80	4.35	41.00				
Cooltron	FD8015B12W7-81			4.80	2 Ball	48.20	7.50	42.80				
Delta	AFB0824LB			24	12	1.20	2 Ball	24.72		2.20	27.50	 <p>FD8015-71</p>
	EFB0824LB					1.92	2 Ball	29.62		1.71	30.00	
Cooltron	FD8015B24W1-81	2.40	2 Ball			30.20	2.90	30.50				
	FD8015B24W3-82	3.60	2 Ball			38.20	2.80	31.20				
	FD8015B24W7-71	3.36	2 Ball			31.10	2.50	33.50				
Delta	AFB0824MB	1.44	2 Ball			28.25	2.71	30.50				
Cooltron	FD8015B24W1-81	2.40	2 Ball			30.20	2.90	30.50				
	FD8015B24W3-82	3.60	2 Ball			38.20	2.80	31.20				




Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image			
Delta	AFB0824HB	80x80x15	24	1.92	2 Ball	33.55	3.50	34.00	 <p>FD8015-81</p> <p>FD8015-82</p>			
	EFB0824MB			2.64	2 Ball	36.02	2.51	33.00				
Cooltron	FD8015B24W3-81			3.60	2 Ball	36.20	4.30	35.80				
	FD8015B24W5-82			6.00	2 Ball	43.70	4.00	35.00				
Delta	AFB0824HHB			2.40	2 Ball	35.67	4.03	37.00				
Cooltron	FD8015B24W3-81			3.60	2 Ball	36.20	4.30	35.80				
	FD8015B24W5-82			6.00	2 Ball	43.70	4.00	35.00				
Delta	AFB0824VHB			2.88	2 Ball	39.20	4.77	39.50				
	EFB0824HB			3.36	2 Ball	42.37	3.42	37.00				
Cooltron	FD8015B24W5-81			6.00	2 Ball	41.30	5.70	40.40				
	FD8015B24W7-82			8.40	2 Ball	48.20	5.10	39.90				
Delta	AFB0824SHB			4.08	2 Ball	42.73	5.49	42.50				
	EFB0824HHB			4.80	2 Ball	48.80	4.35	41.00				
Cooltron	FD8015B24W7-81			8.40	2 Ball	48.20	7.50	42.80				
Delta	AFB0812LD			80x80x20	12	0.96	2 Ball	28.32		2.30	25.50	
Cooltron	FD8020B12W5-81	2.04	2 Ball			35.30	2.30	29.10				
	FD8020B12W5-71	2.04	2 Ball			32.30	3.00	28.00				
Delta	AFB0812MD	1.20	2 Ball			31.75	2.97	29.00				
Cooltron	FD8020B12W7-81	2.64	2 Ball			42.40	3.20	34.60				

Cross List - Cooltron vs Delta




Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
	FD8020B12W5-71	80x80x20	12	2.04	2 Ball	32.30	3.00	28.00		
Delta	AFB0812HD			1.44	2 Ball	36.94	3.84	34.00		
Cooltron	FD8020B12W9-81			6.00	2 Ball	50.40	3.90	38.80		
	FD8020B12W7-71			2.76	2 Ball	38.20	4.00	32.50		
Delta	AFB0812HHD			2.04	2 Ball	40.61	4.56	36.00		
Cooltron	FD8020B12W11-81			7.20	2 Ball	58.10	5.20	43.10		
Delta	AFB0824LD		24	24	0.96	2 Ball	28.32	2.30		25.50
Cooltron	FD8020B24W5-81				3.36	2 Ball	35.30	2.30		29.10
	FD8020B24W5-71				2.40	2 Ball	32.30	3.00		28.00
Delta	AFB0824MD				1.20	2 Ball	31.75	2.97		29.00
Cooltron	FD8020B24W7-81				4.32	2 Ball	42.40	3.20		34.60
	FD8020B24W5-71				2.40	2 Ball	32.30	3.00		28.00
Delta	AFB0824HD				1.92	2 Ball	36.94	3.84		34.00
Cooltron	FD8020B24W9-81				6.00	2 Ball	50.40	3.90		38.80
	FD8020B24W7-71				3.36	2 Ball	38.20	4.00		32.50
Delta	AFB0824HHD				2.16	2 Ball	40.61	4.56		36.00
Cooltron	FD8020B24W11-81				8.64	2 Ball	58.10	5.20		43.10
Delta	AFB0824VHD				2.40	2 Ball	44.57	5.33		39.00
	AFB0824SHD				2.88	2 Ball	48.20	6.22		41.00
Cooltron	FD8020B24W12-81				12.00	2 Ball	67.20	6.90		48.10

Cross List - Cooltron vs Delta




Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Delta	AFB0805L	80x80x25	5	1.20	2 Ball	27.90	2.59	25.00		
Cooltron	FD8025B05W7-62			2.00	2 Ball	31.00	4.40	29.10		
	FD8025B05W5-71			1.40	2 Ball	33.30	2.60	21.40		
Delta	AFB0805M			1.65	2 Ball	31.43	3.28	28.00		
Cooltron	FD8025B05W7-62			2.00	2 Ball	31.00	4.40	29.10		
	FD8025B05W7-71			2.00	2 Ball	40.00	3.60	27.00		
Delta	AFB0812L		12	5	1.08	2 Ball	27.90	2.59	25.00	
	NFB0812L				0.96	2 Ball	28.36	2.54	27.30	
Cooltron	FD8025B12W7-62				1.32	2 Ball	31.00	4.40	29.10	
	FD8025B12W5-71				1.44	2 Ball	33.30	2.60	21.40	
	FD8025B12W5-21				1.56	2 Ball	38.00	3.70	31.00	
	FD8025B12W7-82				2.88	2 Ball	42.20	3.00	34.60	
	FD8025B12W7-85				2.88	2 Ball	32.40	3.50	29.20	
	FD8025B12W7-61				2.76	2 Ball	42.20	3.40	32.00	
Delta	AFB0812M	1.44			2 Ball	31.43	3.28	28.00		
	NFB0812M	1.20			2 Ball	32.28	3.09	30.70		
Cooltron	FD8025B12W7-62	2.04			2 Ball	31.00	4.40	29.10		
	FD8025B12W7-71	2.04			2 Ball	40.00	3.60	27.00		
	FD8025B12W5-21	1.56			2 Ball	38.00	3.70	31.00		

**DELTA IS REGISTERED TRADEMARK OF DELTA ELECTRONICS, INC.




Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image		
Cooltron	FD8025B12W9-82	80x80x25	12	4.08	2 Ball	50.70	4.90	39.00	 FD8025-21		
	FD8025B12W7-85			2.88	2 Ball	32.40	3.50	29.20			
	FD8025B12W7-61			2.76	2 Ball	42.20	3.40	32.00			
Delta	AFB0812H			1.92	2 Ball	35.31	4.04	31.00			
Delta	NFB0812H			1.32	2 Ball	34.76	3.70	34.40			
Cooltron	FD8025B12W7-21			2.16	2 Ball	43.40	5.20	34.90			
	FD8025B12W9-82			4.08	2 Ball	50.70	4.90	39.00			
	FD8025B12W9-61			4.80	2 Ball	57.70	6.40	41.70			
Delta	AFB0812HH			2.40	2 Ball	37.43	4.59	34.00	 FD8025-61		
	NFB0812HH			1.92	2 Ball	39.55	4.40	35.70			
Cooltron	FD8025B12W7-21			2.16	2 Ball	43.40	5.20	34.90			
	FD8025B12W9-82			4.08	2 Ball	50.70	4.90	39.00			
	FD8025B12W9-61			4.80	2 Ball	57.70	6.40	41.70			
Delta	AFB0812VH			3.12	2 Ball	42.02	5.51	38.00			
Cooltron	FD8025B12W9-21			3.00	2 Ball	50.20	6.00	38.30	 FD8025-62		
	FD8025B12W9-61			4.80	2 Ball	57.70	6.40	41.70			
Delta	AFB0824L			24	24	1.20	2 Ball	27.90		2.59	25.00
Cooltron	FD8025B24W7-62					2.88	2 Ball	31.00		4.40	29.10
	FD8025B24W5-71	2.88	2 Ball			33.30	2.60	21.40			
	FD8025B24W5-21	1.92	2 Ball	38.00	3.70	31.00					



Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FD8025B24W7-82	80x80x25	24	2.88	2 Ball	42.20	3.00	34.60	 FD8025-21
	FD8025B24W7-61			3.60	2 Ball	42.20	3.40	32.00	
Delta	AFB0824M			1.44	2 Ball	31.43	3.28	28.00	
Cooltron	FD8025B24W7-62			2.88	2 Ball	31.00	4.40	29.10	
	FD8025B24W7-71			3.60	2 Ball	40.00	3.60	27.00	
	FD8025B24W5-21			1.92	2 Ball	38.00	3.70	31.00	
	FD8025B24W9-82			5.52	2 Ball	50.70	4.90	39.00	
	FD8025B24W7-61			3.60	2 Ball	42.20	3.40	32.00	
Delta	AFB0824H			1.68	2 Ball	35.31	4.04	31.00	 FD8025-61
	FD8025B24W7-21			2.40	2 Ball	43.40	5.20	34.90	
	FD8025B24W9-82			5.52	2 Ball	50.70	4.90	39.00	
Delta	AFB0824HH			2.16	2 Ball	37.43	4.59	34.00	
	FD8025B24W7-21			2.40	2 Ball	43.40	5.20	34.90	
	FD8025B24W9-82			5.52	2 Ball	50.70	4.90	39.00	
Delta	AFB0824VH			3.36	2 Ball	42.02	5.51	38.00	 FD8025-62
	FD8025B24W9-21			3.36	2 Ball	50.20	6.00	38.30	
Delta	AFB0848L			2.40	2 Ball	27.90	2.59	25.00	
Cooltron	FD8025B48W3-62			48	6.24	2 Ball	40.50	5.90	
	FD8025B48W3-21	2.88	2 Ball		38.00	3.70	31.00		
	FD8025B48W7-82	5.76	2 Ball		42.20	3.00	34.60		


Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Delta	AFB0848M	80x80x25	48	2.88	2 Ball	31.43	3.28	28.00	 <p>FD8025-62</p>
Cooltron	FD8025B48W3-62			6.24	2 Ball	40.50	5.90	37.80	
	FD8025B48W3-21			2.88	2 Ball	38.00	3.70	31.00	
	FD8025B48W9-82			6.72	2 Ball	50.70	4.90	39.00	
Delta	AFB0848H			3.36	2 Ball	35.31	4.04	31.00	
	FD8025B48W3-62			6.24	2 Ball	40.50	5.90	37.80	
	FD8025B48W5-21			4.80	2 Ball	43.40	5.20	34.90	
	FD8025B48W9-82			6.72	2 Ball	50.70	4.90	39.00	
Delta	AFB0848HH			3.84	2 Ball	37.43	4.59	34.00	 <p>FD8025-21</p>
	FD8025B48W3-62			6.24	2 Ball	40.50	5.90	37.80	
	FD8025B48W5-21			4.80	2 Ball	43.40	5.20	34.90	
	FD8025B48W9-82			6.72	2 Ball	50.70	4.90	39.00	
Delta	AFB0812SHE	80x80x38	12	8.16	2 Ball	72.76	13.89	46.00	 <p>FD8038-81</p>
	PFB0812SHE			6.12	2 Ball	69.49	14.53	49.30	
Cooltron	FD8038B12W7-11			6.96	2 Ball	71.50	15.80	50.00	
	FD8038B12W9-81			12.00	2 Ball	80.90	14.40	53.10	
Delta	AFB0812EHE			12.00	2 Ball	85.55	19.02	50.50	
	PFB0812EHE			8.64	2 Ball	79.23	19.50	53.00	
Cooltron	FD8038B12W9-11			9.60	2 Ball	83.40	22.70	53.40	



Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Delta	AFB0824SHE	80x80x38	24	8.40	2 Ball	72.76	13.89	46.00	 <p>FD8038-11</p>	
Cooltron	FD8038B24W7-11			6.72	2 Ball	71.50	15.80	50.00		
	FD8038B24W9-81			14.40	2 Ball	80.90	14.40	53.10		
Delta	AFB0824EHE			12.00	2 Ball	85.55	19.02	50.50		
	PFB0824EHE			8.64	2 Ball	79.23	19.50	53.00		
Cooltron	FD8038B24W9-11			10.08	2 Ball	83.40	22.70	53.40		
Delta	PFB0824GHE			10.80	2 Ball	86.44	22.80	55.50		
Cooltron	FD8038B24W9-11			10.08	2 Ball	83.40	22.70	53.40		
Delta	PFB0848EHE			48	11.04	2 Ball	79.23	19.50		53.00
	PFB0848GHE				12.96	2 Ball	86.44	22.80		55.50
Cooltron	FD8038B48W9-11	9.60	2 Ball		83.40	22.70	53.40			
Delta	AFB0912L	92x92x25	12	0.84	2 Ball	37.08	2.53	25.00	 <p>FD9225-11</p>	
	AFB0912L (NEW)			1.20	2 Ball	37.25	2.05	25.00		
	NFB0912L			1.68	2 Ball	42.02	2.33	29.10		
Cooltron	FD9225B12W3-11			1.80	2 Ball	47.20	3.20	31.50		
	FD9225B12W5-81			3.36	2 Ball	46.70	2.50	30.00		
	FD9225B12W4-71			2.76	2 Ball	58.60	3.30	33.10		
Delta	AFB0912M			1.32	2 Ball	43.79	3.25	30.00		
	AFB0912M (NEW)			1.44	2 Ball	49.51	3.38	31.50		





Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Delta	NFB0912M	92x92x25	12	2.28	2 Ball	49.90	3.26	36.00	 <p>FD9225-81</p> <p>FD9225-71</p>
Cooltron	FD9225B12W3-11			1.80	2 Ball	47.20	3.20	31.50	
	FD9225B12W7-81			3.84	2 Ball	55.70	3.50	33.20	
	FD9225B12W4-71			2.76	2 Ball	58.60	3.30	33.10	
Delta	AFB0912H			1.92	2 Ball	51.21	4.50	34.00	
Cooltron	FD9225B12W5-11			2.64	2 Ball	55.10	4.40	36.90	
	FD9225B12W9-81			5.40	2 Ball	66.30	4.70	36.50	
Delta	AFB0912HH			3.00	2 Ball	57.92	5.62	38.00	
	AFB0912H (NEW)			2.52	2 Ball	59.89	4.86	37.00	
	NFB0912H			4.08	2 Ball	57.92	4.35	38.60	
Cooltron	FD9225B12W7-11			3.12	2 Ball	60.30	5.40	38.80	
	FD9225B12W9-81			9.00	2 Ball	70.90	5.60	40.50	
Delta	AFB0924L			1.44	2 Ball	37.08	2.53	25.00	
	AFB0924L (NEW)			1.92	2 Ball	37.25	2.05	25.00	
Cooltron	FD9225B24W3-11			2.16	2 Ball	47.20	3.20	31.50	
	FD9225B24W5-81			3.36	2 Ball	46.70	2.50	30.00	
	FD9225B24W4-71	5.28	2 Ball	58.60	3.30	33.10			
Delta	AFB0924M	1.92	2 Ball	43.79	3.25	30.00			
	AFB0924M (NEW)	2.40	2 Ball	49.51	3.38	31.50			
Cooltron	FD9225B24W3-11	2.16	2 Ball	47.20	3.20	31.50			

Cross List - Cooltron vs Delta


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Cooltron	FD9225B24W7-81	92x92x25	24	4.32	2 Ball	55.70	3.50	33.20	 FD9225-11	
	FD9225B24W4-71			5.28	2 Ball	58.60	3.30	33.10		
Delta	AFB0924H			2.40	2 Ball	51.21	4.50	34.00		
Cooltron	FD9225B24W5-11			2.88	2 Ball	55.10	4.40	36.90		
	FD9225B24W9-81			7.20	2 Ball	66.30	4.70	36.50		
Delta	AFB0924HH			3.12	2 Ball	57.92	5.62	38.00		
	AFB0924H (NEW)			2.88	2 Ball	59.89	4.86	37.00		
Cooltron	FD9225B24W7-11			3.84	2 Ball	60.30	5.40	38.80		
	FD9225B24W11-81			8.40	2 Ball	70.90	5.60	40.50		
Delta	AFB0948L			2.40	2 Ball	37.08	2.53	25.00		
Cooltron	FD9225B48W3-11			4.32	2 Ball	55.10	4.40	36.90		 FD9225-81
	FD9225B48W5-81			5.76	2 Ball	46.70	2.50	30.00		
Delta	AFB0948M		2.40	2 Ball	43.79	3.25	30.00			
Cooltron	FD9225B48W3-11		4.32	2 Ball	55.10	4.40	36.90			
	FD9225B48W7-81		7.68	2 Ball	55.70	3.50	33.20			
Delta	AFB0948H		2.88	2 Ball	51.21	4.50	34.00			
Cooltron	FD9225B48W3-11	4.32	2 Ball	55.10	4.40	36.90				
	FD9225B48W9-81	9.60	2 Ball	66.30	4.70	36.50				
Delta	AFB0948HH	3.84	2 Ball	57.92	5.62	38.00				
Cooltron	FD9225B48W5-11	5.28	2 Ball	60.30	5.40	38.80				

Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Cooltron	FD9225B48W11-81	92x92x25	48	12.48	2 Ball	70.90	5.60	40.50		
Delta	PFB0912HHE	92x92x38	12	3.96	2 Ball	68.26	7.76	43.50	   	
Cooltron	FD9238B12W5-11			7.68	2 Ball	95.40	11.20	49.50		
	FD9238B12W5-81			4.80	2 Ball	81.70	7.30	44.20		
Delta	PFB0912VHE			4.56	2 Ball	80.77	10.88	46.20		
Cooltron	FD9238B12W5-11			7.68	2 Ball	95.40	11.20	49.50		
	FD9238B12W7-81			7.20	2 Ball	91.40	10.10	48.40		
Delta	PFB0912EHE			6.60	2 Ball	94.22	14.67	51.70		
	AFB0912EHE			16.80	2 Ball	127.31	16.13	56.00		
Cooltron	FD9238B12W9-11			20.40	2 Ball	120.80	16.00	55.30		
	FD9238B12W9-81			15.60	2 Ball	129.10	14.90	56.20		
Delta	PFB0924EHE			24	7.92	2 Ball	94.22	14.67		51.70
Cooltron	FD9238B24W9-11				21.12	2 Ball	120.80	16.00		55.30
	FD9238B24W9-81				14.40	2 Ball	129.10	14.90		56.20
Delta	PFB0948EHE			48	10.08	2 Ball	94.22	14.67		51.70
Cooltron	FD9238B48W9-11				13.92	2 Ball	120.80	16.00		55.30
	FD9238B48W9-81				12.00	2 Ball	129.10	14.90		56.20
Delta	EFB1212LF	120x120x32	12	1.56	2 Ball	60.03	3.00	33.50		


**DELTA IS REGISTERED TRADEMARK OF DELTA ELECTRONICS, INC.

Cross List - Cooltron vs Delta


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FD1232B12W3-11	120x120x32	24	3.96	2 Ball	90.30	4.30	37.80	 <p>FD1232-11</p> <p>FD1232-61</p>
	FD1232B12W3-61			3.84	2 Ball	95.80	7.10	42.70	
Delta	EFB1212MF			2.64	2 Ball	80.16	5.00	40.50	
Cooltron	FD1232B12W5-11			5.40	2 Ball	102.00	6.20	41.20	
	FD1232B12W3-61			3.84	2 Ball	95.80	7.10	42.70	
Delta	EFB1212HF			3.84	2 Ball	99.94	7.73	45.50	
Cooltron	FD1232B12W7-11			6.96	2 Ball	118.50	8.20	46.10	
	FD1232B12W5-61			6.00	2 Ball	109.80	8.90	46.60	
Delta	EFB1212HHF			6.12	2 Ball	120.07	10.90	50.50	
Cooltron	FD1232B24W7-61			7.20	2 Ball	124.00	11.00	49.50	
Delta	EFB1224LF			2.16	2 Ball	60.03	3.00	33.50	
Cooltron	FD1232B24W3-11			3.60	2 Ball	90.30	4.30	37.80	
	FD1232B24W3-61			3.84	2 Ball	95.80	7.10	42.70	
Delta	EFB1224MF			3.12	2 Ball	80.16	5.00	40.50	
Cooltron	FD1232B24W5-11			4.80	2 Ball	102.00	6.20	41.20	
	FD1232B24W3-61			3.84	2 Ball	95.80	7.10	42.70	
Delta	EFB1224HF	4.56	2 Ball	99.94	7.73	45.50			
Cooltron	FD1232B24W7-11	6.96	2 Ball	118.50	8.20	46.10			
	FD1232B24W5-61	5.28	2 Ball	109.80	8.90	46.60			
Delta	EFB1224HHF	6.72	2 Ball	120.07	10.90	50.50			

**DELTA IS REGISTERED TRADEMARK OF DELTA ELECTRONICS, INC.

Cross List - Cooltron vs Delta


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FD1232B24W7-61	120x120x32	24	6.72	2 Ball	124.00	11.00	49.50	 <p>FD1232-11</p> <p>FD1232-61</p>
Delta	EFB1248LF		48	1.92	2 Ball	60.03	3.00	33.50	
Cooltron	FD1232B48W3-11		4.32	2 Ball	90.30	4.30	37.80		
	FD1232B48W3-61		6.24	2 Ball	95.80	7.10	42.70		
Delta	EFB1248MF		3.36	2 Ball	80.16	5.00	40.50		
Cooltron	FD1232B48W5-11		6.24	2 Ball	102.00	6.20	41.20		
	FD1232B48W3-61		6.24	2 Ball	95.80	7.10	42.70		
Delta	EFB1248HF		4.80	2 Ball	99.94	7.73	45.50		
Cooltron	FD1232B48W7-11		9.12	2 Ball	118.50	8.20	46.10		
	FD1232B48W5-61		7.20	2 Ball	109.80	8.90	46.60		
Delta	EFB1248HHF		6.72	2 Ball	120.07	10.90	50.50		
Cooltron	FD1232B48W7-61		8.64	2 Ball	124.00	11.00	49.50		
Delta	AFB1212LE		120x120x38	12	2.28	2 Ball	84.76	4.56	
	EFB1212LE	1.92			2 Ball	75.93	4.00	34.00	
Cooltron	FD1238B12W5-11	5.04			2 Ball	110.90	6.00	39.80	
	FD1238B12W5-81	8.40			2 Ball	123.30	5.10	41.30	
	FD1238B12W3-65	4.80			2 Ball	103.40	5.40	39.80	
	FD1238B12W3-61	4.80			2 Ball	103.40	5.40	39.80	
Delta	AFB1212ME	3.12			2 Ball	95.00	6.00	38.00	

Cross List - Cooltron vs Delta


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Delta	EFB1212ME	120x120x38	12	2.76	2 Ball	88.29	5.21	38.00	
Cooltron	FD1238B12W5-11			5.04	2 Ball	110.90	6.00	39.80	
	FD1238B12W7-81			10.80	2 Ball	154.10	7.20	46.80	
	FD1238B12W7-65			7.20	2 Ball	130.40	8.00	45.60	
	FD1238B12W5-61			6.00	2 Ball	116.80	6.90	41.70	
Delta	AFB1212HE			3.84	2 Ball	105.94	7.60	41.00	
	EFB1212HE			3.24	2 Ball	102.41	6.60	41.00	
Cooltron	FD1238B12W7-11			7.92	2 Ball	129.30	7.80	43.70	
	FD1238B12W9-81			18.00	2 Ball	183.80	9.20	50.00	
	FD1238B12W7-65			7.20	2 Ball	130.40	8.00	45.60	
	FD1238B12W7-61			7.20	2 Ball	130.40	8.00	45.60	
Delta	AFB1212HHE			5.52	2 Ball	120.70	9.00	44.00	
	EFB1212HHE			4.68	2 Ball	113.01	8.00	44.00	
Cooltron	FD1238B12W9-11			9.96	2 Ball	139.10	8.90	45.60	
	FD1238B12W9-81			18.00	2 Ball	183.80	9.20	50.00	
	FD1238B12W2-63			18.00	2 Ball	143.90	12.20	50.60	
Delta	AFB1212VHE			7.20	2 Ball	129.96	10.70	48.00	
	EFB1212VHE			5.76	2 Ball	123.95	9.70	47.50	
Cooltron	FD1238B12W11-81	20.40	2 Ball	198.40	12.30	52.50			
	FD1238B12W2-63	18.00	2 Ball	143.90	12.20	50.60			

**DELTA IS REGISTERED TRADEMARK OF DELTA ELECTRONICS, INC.


Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Delta	AFB1212SHE	120x120x38	12	12.60	2 Ball	151.85	14.50	53.00	 <p>FD1238-63</p>	
	EFB1212SHE			9.60	2 Ball	141.96	13.21	52.50		
	PFB1212EHE			19.20	2 Ball	181.27	19.08	59.00		
Cooltron	FD1238B12W3-63			24.00	2 Ball	194.20	22.30	58.10		
Delta	PFB1212GHE			32.40	2 Ball	217.80	27.31	64.00		
Cooltron	FD1238B12W5-63			42.00	2 Ball	232.80	35.50	63.50		
Delta	AFB1224LE		24	24	3.60	2 Ball	84.76	4.56		34.00
	EFB1224LE				2.40	2 Ball	75.93	4.00		34.00
Cooltron	FD1238B24W5-11				6.00	2 Ball	110.90	6.00		39.80
	FD1238B24W5-81				9.60	2 Ball	123.30	5.10		41.30
	FD1238B24W3-65				7.20	2 Ball	103.40	5.40		39.80
	FD1238B24W3-61				7.20	2 Ball	103.40	5.40		39.80
Delta	AFB1224ME	24	24		4.56	2 Ball	95.00	6.00	38.00	
	EFB1224ME				3.36	2 Ball	88.29	5.21	38.00	
Cooltron	FD1238B24W5-11				6.00	2 Ball	110.90	6.00	39.80	
	FD1238B24W7-81				12.00	2 Ball	154.10	7.20	46.80	
	FD1238B24W7-65				9.60	2 Ball	130.40	8.00	45.60	
	FD1238B24W5-61				8.40	2 Ball	116.80	6.90	41.70	
Delta	AFB1224HE			24	24	5.76	2 Ball	105.94	7.60	41.00
	EFB1224HE					4.32	2 Ball	102.41	6.60	41.00



Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FD1238B24W7-11	120x120x38	24	8.64	2 Ball	129.30	7.80	43.70	 <p>FD1238-81</p>
	FD1238B24W9-81			16.80	2 Ball	183.80	9.20	50.00	
	FD1238B24W7-65			9.60	2 Ball	130.40	8.00	45.60	
	FD1238B24W7-61			9.60	2 Ball	130.40	8.00	45.60	
Delta	AFB1224HHE			7.20	2 Ball	120.70	9.00	44.00	
	EFB1224HHE			4.80	2 Ball	113.01	8.00	44.00	
Cooltron	FD1238B24W9-11			12.40	2 Ball	139.10	8.90	45.60	
	FD1238B24W9-81			16.80	2 Ball	183.80	9.20	50.00	
	FD1238B24W2-63			12.00	2 Ball	143.90	12.20	50.60	
Delta	AFB1224VHE			9.12	2 Ball	129.96	10.70	48.00	
	EFB1224VHE			6.48	2 Ball	123.95	9.70	47.50	
Cooltron	FD1238B24W2-63			12.00	2 Ball	143.90	12.20	50.60	
Delta	AFB1224SHE		12.00	2 Ball	151.85	14.50	53.00		
	EFB1224SHE		10.56	2 Ball	141.96	13.21	52.50		
	PFB1224EHE		21.60	2 Ball	181.27	19.08	59.00		
Cooltron	FD1238B24W3-63		26.40	2 Ball	194.20	22.30	58.10		
Delta	PFB1224GHE	32.40	2 Ball	217.80	27.31	64.00			
Cooltron	FD1238B24W5-63	40.80	2 Ball	232.80	35.50	63.50			
Delta	AFB1248LE	48	2.88	2 Ball	84.76	4.56	34.00		
	EFB1248LE		2.40	2 Ball	75.93	4.00	34.00		


Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FD1238B48W5-11	120x120x38	48	7.20	2 Ball	110.90	6.00	39.80	 FD1238-65
	FD1238B48W5-81			14.40	2 Ball	123.30	5.10	41.30	
	FD1238B48W3-65			7.20	2 Ball	103.40	5.40	39.80	
	FD1238B48W3-61			7.20	2 Ball	103.40	5.40	39.80	
Delta	AFB1248ME			3.84	2 Ball	95.00	6.00	38.00	
	EFB1248ME			2.88	2 Ball	88.29	5.21	38.00	
Cooltron	FD1238B48W5-11			7.20	2 Ball	110.90	6.00	39.80	
	FD1238B48W7-81			19.20	2 Ball	154.10	7.20	46.80	
	FD1238B48W7-65			9.60	2 Ball	130.40	8.00	45.60	
	FD1238B48W5-61			8.16	2 Ball	116.80	6.90	41.70	
Delta	AFB1248HE			5.76	2 Ball	105.94	7.60	41.00	
	EFB1248HE			4.32	2 Ball	102.41	6.60	41.00	
Cooltron	FD1238B48W7-11			10.00	2 Ball	129.30	7.80	43.70	
	FD1238B48W9-81			24.00	2 Ball	183.80	9.20	50.00	
	FD1238B48W7-65			9.60	2 Ball	130.40	8.00	45.60	
	FD1238B48W7-61			9.60	2 Ball	130.40	8.00	45.60	
Delta	AFB1248HHE	7.20	2 Ball	120.70	9.00	44.00			
	EFB1248HHE	5.76	2 Ball	113.01	8.00	44.00			
Cooltron	FD1238B48W9-11	12.90	2 Ball	139.10	8.90	45.60			
	FD1238B48W9-81	24.00	2 Ball	183.80	9.20	50.00			

Cross List - Cooltron vs Delta


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FD1238B48W2-63	120x120x38	48	18.24	2 Ball	143.90	12.20	50.60	 <p>FD1238-63</p>
Delta	AFB1248VHE			8.64	2 Ball	129.96	10.70	48.00	
	EFB1248VHE			6.72	2 Ball	123.95	9.70	47.50	
Cooltron	FD1238B48W2-63			18.24	2 Ball	143.90	12.20	50.60	
Delta	PFB1248EHE			21.60	2 Ball	181.27	19.08	59.00	
Cooltron	FD1238B48W3-63			26.40	2 Ball	194.20	22.30	58.10	
Delta	PFB1248GHE			32.64	2 Ball	217.80	27.31	64.00	
Cooltron	FD1238B48W5-63			48.00	2 Ball	232.80	35.50	63.50	
Delta	EFB1512LG	172x150x51	12	9.48	2 Ball	210.12	11.90	50.00	 <p>FD1751-52</p>
Cooltron	FD1751B12W7-52			16.80	2 Ball	209.10	16.20	50.40	
	FD1751B12W1-61			20.40	2 Ball	218.20	20.60	54.30	
Delta	EFB1512MG			11.88	2 Ball	230.25	14.50	52.00	
Cooltron	FD1751B12W9-52			22.80	2 Ball	234.80	21.30	54.30	
	FD1751B12W3-61			28.80	2 Ball	242.10	24.00	57.20	
Delta	EFB1512HG		16.20	2 Ball	251.79	17.49	55.00		
Cooltron	FD1751B12W5-61		42.00	2 Ball	268.50	29.90	60.10		
Delta	EFB1524LG		24	9.36	2 Ball	210.12	11.90	50.00	
Cooltron	FD1751B24W7-52			15.60	2 Ball	209.10	16.20	50.40	
	FD1751B24W1-61	16.80		2 Ball	218.20	20.60	54.30		

Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Delta	EFB1524MG	172x150x51	24	11.28	2 Ball	230.25	14.50	52.00		
Cooltron	FD1751B24W9-52			20.88	2 Ball	234.80	21.30	54.30		
	FD1751B24W3-61			22.80	2 Ball	242.10	24.00	57.20		
Delta	EFB1524HG			13.44	2 Ball	251.79	17.49	55.00		
Cooltron	FD1751B24W5-61			33.60	2 Ball	268.50	29.90	60.10		
Delta	EFB1524HHG			18.48	2 Ball	279.69	20.30	57.50		
Cooltron	FD1751B24W7-61			43.20	2 Ball	280.90	32.40	62.10		
Delta	EFB1524VHG			23.28	2 Ball	302.29	23.80	60.00		
Cooltron	FD1751B24W9-61			55.20	2 Ball	315.60	41.10	65.00		
Delta	EFB1548LG			48	9.12	2 Ball	210.12	11.90		50.00
Cooltron	FD1751B48W7-52				16.80	2 Ball	209.10	16.20		50.40
	FD1751B48W1-61				19.20	2 Ball	218.20	20.60		54.30
Delta	EFB1548MG				12.00	2 Ball	230.25	14.50		52.00
Cooltron	FD1751B48W9-52				24.00	2 Ball	234.80	21.30		54.30
	FD1751B48W3-61				24.00	2 Ball	242.10	24.00		57.20
Delta	EFB1548HG				14.88	2 Ball	251.79	17.49		55.00
Cooltron	FD1751B48W5-61				28.80	2 Ball	268.50	29.90		60.10
Delta	EFB1548HHG				18.24	2 Ball	279.69	20.30		57.50
Cooltron	FD1751B48W7-61	36.00	2 Ball		280.90	32.40	62.10			
Delta	EFB1548VHG	23.52	2 Ball		302.29	23.80	60.00			


**DELTA IS REGISTERED TRADEMARK OF DELTA ELECTRONICS, INC.

Cross List - Cooltron vs Delta


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Delta	EHB1548HHG	172x150x51	48	29.28	2 Ball	302.47	28.33	62.50		
Cooltron	FD1751B48W9-61			57.60	2 Ball	315.60	41.10	65.00		
Delta	EFB1712LG	172x51	12	9.48	2 Ball	210.12	11.90	48.00	 <p>FD1751-65</p>	
Cooltron	FD1751B12W1-65			20.40	2 Ball	218.20	20.40	52.40		
Delta	EFB1712MG			11.88	2 Ball	230.25	14.50	50.00		
Cooltron	FD1751B12W3-65			28.80	2 Ball	242.10	25.10	54.30		
Delta	EFB1712HG			16.20	2 Ball	251.79	17.49	53.00		
Cooltron	FD1751B12W5-65			42.00	2 Ball	275.70	31.10	57.20		
Delta	EFB1724LG		24	24	9.36	2 Ball	210.12	11.90		48.00
Cooltron	FD1751B24W1-65				16.80	2 Ball	218.20	20.40		52.40
Delta	EFB1724MG				11.28	2 Ball	230.25	14.50		50.00
Cooltron	FD1751B24W3-65				22.80	2 Ball	242.10	25.10		54.30
Delta	EFB1724HG				13.44	2 Ball	251.79	17.49		53.00
Cooltron	FD1751B24W5-65				33.60	2 Ball	275.70	31.10		57.20
Delta	EFB1724HHG	18.48			2 Ball	279.69	20.30	55.00		
Cooltron	FD1751B24W7-65	43.20			2 Ball	293.60	35.80	59.20		
Delta	EFB1724VHG	23.28			2 Ball	302.29	23.80	57.00		
Cooltron	FD1751B24W9-65	55.20			2 Ball	326.40	43.50	61.10		
Delta	EFB1724SHG			28.08	2 Ball	325.00	27.50	59.00		

**DELTA IS REGISTERED TRADEMARK OF DELTA ELECTRONICS, INC.



Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FD1751B24W9-65	172x51	24	55.20	2 Ball	326.40	43.50	61.10	 <p>FD1751-65</p>
Delta	EFB1748LG			9.12	2 Ball	210.12	11.90	48.00	
Cooltron	FD1751B48W1-65			19.20	2 Ball	218.20	20.40	52.40	
Delta	EFB1748MG			12.00	2 Ball	230.25	14.50	50.00	
Cooltron	FD1751B48W3-65			24.00	2 Ball	242.10	25.10	54.30	
Delta	EFB1748HG			14.88	2 Ball	251.79	17.49	53.00	
Cooltron	FD1751B48W5-65			28.80	2 Ball	275.70	31.10	57.20	
Delta	EFB1748HHG			18.24	2 Ball	279.69	20.30	55.00	
Cooltron	FD1751B48W7-65			36.00	2 Ball	293.60	35.80	59.20	
Delta	EFB1748VHG			23.52	2 Ball	302.29	23.80	57.00	
	AHB1748VHG			34.08	2 Ball	309.37	29.75	59.50	
	EHB1748HHG			29.28	2 Ball	311.55	29.56	60.00	
Cooltron	FD1751B48W9-65			57.60	2 Ball	326.40	43.50	61.10	
Delta	BFB0505L		51x51x15	5	0.70	2 Ball	2.47	7.00	
Cooltron	FBD5015B05W3-11	0.85			2 Ball	3.40	9.20	35.40	
	FBD5015B05W5-81	0.75			2 Ball	3.00	9.30	35.80	
	FBD5015B05W3-61	1.10			2 Ball	3.50	7.60	34.00	
Delta	BFB0505M	1.65			2 Ball	3.18	11.00	32.50	
Cooltron	FBD5015B05W5-11	1.55			2 Ball	4.20	13.80	39.80	



Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FBD5015B05W7-81	51x51x15	5	1.25	2 Ball	3.70	14.60	40.90	
	FBD5015B05W7-61			1.65	2 Ball	3.90	11.80	39.80	
Delta	BFB0512L		12	0.84	2 Ball	2.47	7.00	26.50	
Cooltron	FBD5015B12W3-11			0.96	2 Ball	3.40	9.20	35.40	
	FBD5015B12W5-81			0.96	2 Ball	3.00	9.30	35.80	
	FBD5015B12W5-61			0.60	2 Ball	3.50	7.60	34.00	
Delta	BFB0512M			1.20	2 Ball	3.18	11.00	32.50	
Cooltron	FBD5015B12W5-11			1.50	2 Ball	4.20	13.80	39.80	
	FBD5015B12W7-81			1.80	2 Ball	3.70	14.60	40.90	
	FBD5015B12W7-61			1.08	2 Ball	3.90	11.80	39.80	
Delta	BFB0512H			1.92	2 Ball	3.88	18.00	38.00	
Cooltron	FBD5015B12W7-11			2.52	2 Ball	4.90	20.10	43.70	
	FBD5015B12W9-81			2.64	2 Ball	4.20	21.00	45.30	
Delta	BFB0512HH			2.52	2 Ball	4.59	22.00	45.00	
Cooltron	FBD5015B12W10-81			4.20	2 Ball	5.00	30.80	48.40	
Delta	BFB0524L			24	24	1.20	2 Ball	2.47	
Cooltron	FBD5015B24W3-11	1.56	2 Ball			3.40	9.20	35.40	
	FBD5015B24W5-61	1.92	2 Ball			3.50	7.60	34.00	
Delta	BFB0524M	1.68	2 Ball			3.18	11.00	32.50	
Cooltron	FBD5015B24W5-11	2.16	2 Ball			4.20	13.80	39.80	



Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FBD5015B24W7-61	51x51x15	24	2.88	2 Ball	3.90	11.80	39.80	
Delta	BFB0524H			2.16	2 Ball	3.88	18.00	38.00	
Cooltron	FBD5015B24W7-11			3.12	2 Ball	4.90	20.10	43.70	
Delta	BFB0612MB	60x60x15	12	1.80	2 Ball	4.04	12.08	32.00	 FBD6015-81
Cooltron	FBD6015B12W7-81			4.20	2 Ball	4.90	14.00	32.30	
Delta	BFB0612HB			2.16	2 Ball	4.67	16.53	37.00	
Cooltron	FBD6015B12W9-81			4.80	2 Ball	5.60	18.40	35.80	
Delta	BFB0612H	60x60x25	12	2.16	2 Ball	6.71	10.86	34.00	 FBD6025-81
Cooltron	FBD6025B12W5-81			3.12	2 Ball	9.00	16.90	36.20	
Delta	BFB0612HH			2.88	2 Ball	7.88	15.49	39.00	
Cooltron	FBD6025B12W5-81			3.12	2 Ball	9.00	16.90	36.20	
Delta	BFB0712L	75x75x30	12	0.72	2 Ball	7.00	4.00	26.00	
Cooltron	FBD7530B12W3-81			1.44	2 Ball	7.30	4.60	27.00	
Delta	BFB0712M			1.56	2 Ball	9.00	6.80	32.00	


Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FBD7530B12W5-81	75x75x30	12	2.40	2 Ball	9.00	7.60	32.10	 <p>FBD7530-81</p>
Delta	BFB0712H			2.64	2 Ball	11.30	12.20	38.00	
Cooltron	FBD7530B12W9-81			4.56	2 Ball	13.10	18.10	41.10	
Delta	BFB0724L		24	1.20	2 Ball	7.00	4.00	26.00	
Cooltron	FBD7530B24W3-81			2.64	2 Ball	7.30	4.60	27.00	
Delta	BFB0724M			1.68	2 Ball	9.00	6.80	32.00	
Cooltron	FBD7530B24W5-81			3.12	2 Ball	9.00	7.60	32.10	
Delta	BFB0724H			2.88	2 Ball	11.30	12.20	38.00	
Cooltron	FBD7530B24W9-81			6.48	2 Ball	13.10	18.10	41.10	
Delta	BFB1012L	97x94x33	12	3.84	2 Ball	19.07	12.70	45.00	 <p>FBD9733-81</p> <p>FBD9733-61</p>
Cooltron	FBD9733B12W3-81			4.32	2 Ball	18.50	12.90	47.50	
	FBD9733B12W5-61			6.00	2 Ball	19.00	13.90	43.70	
Delta	BFB1012M			6.84	2 Ball	22.60	19.00	49.00	
	BFB1012L(NEW)			4.44	2 Ball	23.17	14.85	49.50	
Cooltron	FBD9733B12W5-81			7.80	2 Ball	23.90	23.30	52.20	
	FBD9733B12W7-61			9.60	2 Ball	22.50	21.00	48.50	
Delta	BFB1012H			9.60	2 Ball	25.43	25.40	52.00	
	BFB1012M(NEW)			6.60	2 Ball	27.44	22.68	52.50	
Cooltron	FBD9733B12W7-81			12.60	2 Ball	27.60	34.70	57.40	


Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Delta	BFB1012HH	97x94x33	12	13.20	2 Ball	28.25	33.00	55.00	 <p>FD1751-65</p>	
Cooltron	FBD9733B12W7-81			12.60	2 Ball	27.60	34.70	57.40		
Delta	BFB1024L		24	24	3.84	2 Ball	19.07	12.70		45.00
Cooltron	FBD9733B24W3-81				6.24	2 Ball	18.50	12.90		47.50
	FBD9733B24W5-61				8.40	2 Ball	19.00	13.90		43.70
Delta	BFB1024M				6.24	2 Ball	22.60	19.00		49.00
Cooltron	FBD9733B24W5-81				9.60	2 Ball	23.90	23.30		52.20
	FBD9733B24W7-61				13.20	2 Ball	22.50	21.00		48.50
Delta	BFB1024H				9.60	2 Ball	25.43	25.40		52.00
Cooltron	FBD9733B24W7-81				13.92	2 Ball	27.60	34.70		57.40
Delta	BFB1024HH				13.20	2 Ball	28.25	33.00		55.00
Cooltron	FBD9733B24W7-81				13.92	2 Ball	27.60	34.70		57.40
Delta	BFB1212L	120x120x32	12	4.80	2 Ball	24.70	14.00	47.00	 <p>FBD1232-81</p>	
Cooltron	FBD1232B12W5-81			9.60	2 Ball	34.30	16.60	50.70		
	FBD1232B12W5-61			10.44	2 Ball	34.10	20.70	49.50		
Delta	BFB1212M			6.96	2 Ball	26.85	17.50	48.50		
Cooltron	FBD1232B12W7-81			16.20	2 Ball	45.30	33.90	54.40		
	FBD1232B12W5-61			10.44	2 Ball	34.10	20.70	49.50		
Delta	BFB1212H			9.84	2 Ball	29.00	21.00	51.00		

Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Cooltron	FBD1232B12W7-81	120x120x32	12	16.20	2 Ball	45.30	33.90	54.40	 <p>FBD1232-81</p> <p>FBD1232-61</p>	
	FBD1232B12W5-61			10.44	2 Ball	34.10	20.70	49.50		
Delta	BFB1212HH			8.40	2 Ball	32.49	27.00	54.00		
Cooltron	FBD1232B12W7-81			16.20	2 Ball	45.30	33.90	54.40		
Delta	BFB1212VH(NEW)			15.00	2 Ball	39.55	33.00	56.50		
Cooltron	FBD1232B12W7-81			16.20	2 Ball	45.30	33.90	54.40		
Delta	BFB1224L		5.76	2 Ball	24.70	14.00	47.00			
Cooltron	FBD1232B24W5-81		24	12	8.16	2 Ball	34.30	16.60		50.70
	FBD1232B24W5-61				12.00	2 Ball	34.10	20.70		49.50
Delta	BFB1224M				6.72	2 Ball	26.85	17.50		48.50
Cooltron	FBD1232B24W7-81				21.60	2 Ball	45.30	33.90		54.40
	FBD1232B24W5-61				12.00	2 Ball	34.10	20.70		49.50
Delta	BFB1224H				8.40	2 Ball	29.00	21.00		51.00
Cooltron	FBD1232B24W7-81			21.60	2 Ball	45.30	33.90	54.40		
	FBD1232B24W5-61			12.00	2 Ball	34.10	20.70	49.50		
Delta	BFB1224VH(NEW)			14.40	2 Ball	39.55	33.00	56.50		
	BFB1224HH(NEW)	12.96		2 Ball	35.31	25.00	54.00			
Cooltron	FBD1232B24W7-81	21.60		2 Ball	45.30	33.90	54.40			
Delta	BFB1248L(NEW)	48			4.32	2 Ball	26.49	12.50	47.00	
Cooltron	FBD1232B48W5-81		11.52		2 Ball	34.30	16.60	50.70		

Cross List - Cooltron vs Delta

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FBD1232B48W5-61	120x120x32	48	14.40	2 Ball	34.10	20.70	49.50	 <p>FBD1232-61</p>
Delta	BFB1248M(NEW)			5.76	2 Ball	29.31	15.50	48.50	
Cooltron	FBD1232B48W5-81			11.52	2 Ball	34.30	16.60	50.70	
	FBD1232B48W5-61			14.40	2 Ball	34.10	20.70	49.50	
Delta	BFB1248H(NEW)			7.20	2 Ball	31.43	19.00	51.00	
Cooltron	FBD1232B48W7-81			21.60	2 Ball	45.30	33.90	54.40	
	FBD1232B48W5-61			12.00	2 Ball	34.10	20.70	49.50	
Delta	BFB1248HH(NEW)			10.56	2 Ball	35.31	25.00	54.00	
Cooltron	FBD1232B48W7-81			36.00	2 Ball	45.30	33.90	54.40	