






Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Jamicon	KF0210B5HR00	25x25x10	5	1.10	2 Ball/Sleeve	2.54	7.44	32.10	 <p>FD2510-71</p> <p>FD2510-81</p>
Cooltron	FD2510B/S05W9-71			1.00	2 Ball/Sleeve	2.90	8.00	29.40	
	FD2510B/S05W7-81			1.00	2 Ball/Sleeve	2.90	5.80	30.60	
Jamicon	KF0210C5HR00			1.00	1 Ball 1 Sleeve	2.54	7.44	32.10	
Cooltron	FD2510C05W7-81			1.00	1 Ball 1 Sleeve	2.90	5.80	30.60	
Jamicon	KF0210B5MR00			0.65	2 Ball	1.91	4.65	26.40	
Cooltron	FD2510B05W7-71			0.80	2 Ball	2.20	6.10	24.00	
	FD2510B05W3-71			0.50	2 Ball	1.60	4.30	18.90	
Jamicon	KF0210C5MR00			0.80	1 Ball 1 Sleeve	1.91	4.65	26.40	
Cooltron	FD2510C05W5-81			0.85	1 Ball 1 Sleeve	2.20	3.60	24.70	
Jamicon	KF0210S5MR00			0.90	Sleeve	1.91	4.65	26.40	
Cooltron	FD2510S05W5-81			0.85	Sleeve	2.20	3.60	24.70	
Jamicon	KF0210B5LR00			0.50	2 Ball	1.27	2.31	16.70	
Cooltron	FD2510B05W3-71			0.50	2 Ball	1.60	4.30	18.90	
	FD2510B05W3-81			0.70	2 Ball	2.20	1.50	20.40	
Jamicon	KF0210S5LR00			0.60	Sleeve	1.27	2.31	16.70	
Cooltron	FD2510S05W3-71			0.50	Sleeve	1.60	4.30	18.90	
	FD2510S05W3-81			0.70	Sleeve	2.20	1.50	20.40	
Jamicon	KF0210B1HR00				12	1.08	2 Ball	2.54	



Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Cooltron	FD2510B12W9-71	25x25x10	12	1.56	2 Ball	2.90	8.00	29.40	 <p>FD2510-81</p> <p>FD2510-71</p>
Jamicon	KF0210C1HR00			1.20	1 Ball 1 Sleeve	2.54	7.44	32.10	
Cooltron	FD2510C12W7-81			1.68	1 Ball 1 Sleeve	2.90	5.80	30.60	
Jamicon	KF0210S1HR00			1.44	Sleeve	2.54	7.44	32.10	
Cooltron	FD2510S12W9-71			1.56	Sleeve	2.90	8.00	29.40	
	FD2510S12W7-81			1.68	Sleeve	2.90	5.80	30.60	
Jamicon	KF0210B1MR00			0.84	2 Ball/1 Ball 1 Sleeve	1.91	4.65	26.40	
Cooltron	FD2510B12W7-71			0.84	2 Ball	2.20	6.10	24.00	
	FD2510B12W5-81			1.32	2 Ball	2.20	3.60	24.70	
Jamicon	KF0210S1MR00			1.20	Sleeve	1.91	4.65	26.40	
Cooltron	FD2510S12W7-71			0.84	Sleeve	2.20	6.10	24.00	
	FD2510S12W5-81			1.32	Sleeve	2.20	3.60	24.70	
Jamicon	KF0210B1LR00			0.72	2 Ball/Sleeve	1.27	2.31	16.70	
Cooltron	FD2510B/S12W3-81			0.96	2 Ball/Sleeve	1.40	1.50	20.40	
	FD2510B/S12W3-71			0.72	2 Ball/Sleeve	1.60	4.30	18.90	
Jamicon	KF0310-5HR01			30x30x10	5	1.00	2 Ball/1 Ball 1 Sleeve	3.93	
Cooltron	FD3010B05W9-71	1.00	2 Ball			4.40	4.60	27.60	
	FD3010B05W7-81	1.00	2 Ball			4.40	5.90	29.90	

Cross List - Cooltron vs Jamicon


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Jamicon	KF0310-5MR01	30x30x10	5	0.80	2 Ball/1 Ball 1Sleeve	3.34	3.94	27.40	 FD3010-71
Cooltron	FD3010B05W7-71			0.90	2 Ball	3.70	3.90	22.50	
	FD3010B05W5-81			0.85	2 Ball	3.10	3.60	25.30	
Jamicon	KF0310-5LR01			0.40	2 Ball/1 Ball 1Sleeve	2.35	2.03	20.10	
Cooltron	FD3010B05W3-71			0.50	2 Ball	2.50	2.70	18.30	
	FD3010B05W3-81			0.70	2 Ball	2.10	1.80	19.90	
Jamicon	KF0310S5HR01	30x30x10	5	1.00	Sleeve	3.93	5.38	31.60	 FD3010-71
Cooltron	FD3010S05W9-71			1.00	Sleeve	4.40	4.60	27.60	
	FD3010S05W7-81			1.00	Sleeve	4.40	5.90	29.90	
Jamicon	KF0310S5MR01			0.80	Sleeve	3.34	3.94	27.40	
Cooltron	FD3010S05W7-71			0.90	Sleeve	3.70	3.90	22.50	
	FD3010S05W5-81			0.85	Sleeve	3.10	3.60	25.30	
Jamicon	KF0310S5LR01			0.45	Sleeve	2.35	2.03	20.10	
Cooltron	FD3010S05W3-71			0.50	Sleeve	2.50	2.70	18.30	
	FD3010S05W3-81			0.70	Sleeve	2.10	1.80	19.90	
Jamicon	KF0310-1HR01	30x30x10	12	1.32	2 Ball	3.93	5.38	31.60	 FD3010-81
Cooltron	FD3010B12W7-81			1.68	2 Ball	4.40	5.90	29.90	
	FD3010B12W7-71			1.32	2 Ball	3.70	3.90	22.50	
Jamicon	KF0310-1MR01			0.96	2 Ball/1 Ball 1Sleeve	3.34	3.94	27.40	

Cross List - Cooltron vs Jamicon



Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image			
Cooltron	FD3010B12W7-71	30x30x10	12	1.32	2 Ball	3.70	3.90	22.50	 <p>FD3010-71</p>			
Jamicon	KF0310-1LR01			0.72	2 Ball/1 Ball 1Sleeve	2.35	2.03	20.10				
Cooltron	FD3010B12W3-81			0.96	2 Ball	2.10	1.80	19.90				
	FD3010B12W3-71			0.72	2 Ball	2.50	2.70	18.70				
Jamicon	KF0310S1HR01			1.08	Sleeve	3.93	5.38	31.60				
Cooltron	FD3010S12W7-81			1.68	Sleeve	4.40	5.90	29.90				
	FD3010S12W7-71			1.32	Sleeve	3.70	3.90	22.50				
Jamicon	KF0310S1MR01			0.72	Sleeve	3.34	3.94	27.40				
Cooltron	FD3010S12W7-71			1.32	Sleeve	3.70	3.90	22.50				
Jamicon	KF0310S1LR01			0.48	Sleeve	2.35	2.03	20.10				
Cooltron	FD3010S12W3-81			0.96	Sleeve	2.10	1.80	19.90				
	FD3010S12W3-71			0.72	Sleeve	2.50	2.70	18.70				
Jamicon	KF0B10-5HR01			35x35x10	5	1.05	2 Ball/1 Ball 1Sleeve/Sleeve	6.53		3.40	26.30	 <p>FD3510-71</p>
Cooltron	FD3510B/S05W7-71					1.20	2 Ball/Sleeve	6.50		3.80	31.40	
	FD3510B/S05W5-71	1.10	2 Ball/Sleeve			5.20	2.50	25.10				
Jamicon	KF0B10-5MR01	0.70	2 Ball/1 Ball 1Sleeve/Sleeve			5.78	2.87	24.50				
Cooltron	FD3510B/S05W5-71	1.10	2 Ball/Sleeve			5.20	2.50	25.10				
Jamicon	KF0B10-1HR01	12	12			1.20	2 Ball/1 Ball 1Sleeve/Sleeve	6.53	3.40	26.30		
Cooltron	FD3510B/S12W5-71					1.30	2 Ball/Sleeve	5.20	2.50	25.10		

**JAMICON IS REGISTERED TRADEMARK OF KAIMEI ELECTRONIC CORP.

Cross List - Cooltron vs Jamicon


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image		
Jamicon	KF0410B5H-01	40x40x10	5	0.65	2 Ball	6.00	3.25	28.00			
Cooltron	FD4010B05W5-61			0.80	2 Ball	6.60	2.90	27.20			
Jamicon	KF0410B5M-01			0.45	2 Ball	5.38	2.69	25.70			
Cooltron	FD4010B05W3-61			0.65	2 Ball	5.40	2.10	23.30			
Jamicon	KF0410-5H-01			1.00	Sleeve	6.00	3.25	28.00			
Cooltron	FD4010B05W5-61			0.80	Sleeve	6.60	2.90	27.20			
Jamicon	KF0410-5M-01			0.50	Sleeve	5.38	2.69	25.70			
Cooltron	FD4010S05W3-61			0.65	Sleeve	5.40	2.10	23.30			
Jamicon	KF0410B1H-01			12	12	0.84	2 Ball	6.00		3.25	28.00
Cooltron	FD4010B12W5-61					0.84	2 Ball	6.60		2.90	27.20
Jamicon	KF0410B1M-01		0.72			2 Ball	5.38	2.69		25.70	
Cooltron	FD4010B12W3-61		0.72			2 Ball	5.40	2.10		23.30	
Jamicon	KF0410-1H-01		0.96			Sleeve	6.00	3.25		28.00	
Cooltron	FD4010S12W5-61		0.84			Sleeve	6.60	2.90		27.20	
Jamicon	KF0410-1M-01		0.84			Sleeve	5.38	2.69		25.70	
Cooltron	FD4010S12W3-61		0.72			Sleeve	5.40	2.10		23.30	
Jamicon	KF0410B2S-01		24	24	1.44	2 Ball	6.58	3.76		30.60	
	KF0410B2H-01				1.20	2 Ball	6.00	3.25		28.00	

Cross List - Cooltron vs Jamicon



Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Cooltron	FD4010B24W5-61	40x40x10	24	1.44	2 Ball	6.60	2.90	27.20	 FD4010-61
Jamicon	KF0410B2M-01			0.96	2 Ball	5.38	2.69	25.70	
Cooltron	FD4010B24W3-61			1.20	2 Ball	5.40	2.10	23.30	
Jamicon	KF0410-2H-01			1.20	Sleeve	6.00	3.25	28.00	
Cooltron	FD4010S24W5-61			1.44	Sleeve	6.60	2.90	27.20	
Jamicon	KF0410-2M-01			0.96	Sleeve	5.38	2.69	25.70	
Cooltron	FD4010S24W3-61			1.20	Sleeve	5.40	2.10	23.30	
Jamicon	KF0410B5H-03	40x40x15	5	0.65	2 Ball	6.42	3.28	26.40	 FD4010-61
Cooltron	FD4010B05W5-71			0.50	2 Ball	5.80	2.50	24.10	
	FD4010B05W5-61			0.80	2 Ball	6.60	2.90	27.20	
Jamicon	KF0410-5H-03			1.00	Sleeve	6.42	3.28	26.40	
Cooltron	FD4010B05W7-71			0.80	Sleeve	6.60	3.40	25.50	
	FD4010B05W5-61			0.80	Sleeve	6.60	2.90	27.20	
Jamicon	KF0410B1H-03		12	0.84	2 Ball	6.42	3.28	26.40	
Cooltron	FD4010B12W5-61			0.84	2 Ball	6.60	2.90	27.20	
	FD4010B12W7-71			0.84	2 Ball	6.60	3.40	25.50	
Jamicon	KF0410B1M-03			0.72	2 Ball	5.75	2.69	24.40	
Cooltron	FD4010B12W5-71			0.72	2 Ball	5.80	2.50	24.10	
Jamicon	KF0410B1L-03			0.60	2 Ball	4.37	1.70	19.90	

**JAMICON IS REGISTERED TRADEMARK OF KAIMEI ELECTRONIC CORP.










Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image	
Cooltron	FD4010B12W3-71	40x40x15	12	0.60	2 Ball	4.60	2.40	20.50	 <p>FD4010-61</p> <p>FD4010-71</p>	
Jamicon	KF0410-1H-03			0.96	Sleeve	6.42	3.28	26.40		
Cooltron	FD4010S12W5-61			0.84	Sleeve	6.60	2.90	27.20		
	FD4010S12W7-71			0.84	Sleeve	6.60	3.40	25.50		
Jamicon	KF0410-1M-03			0.84	Sleeve	5.75	2.69	24.40		
Cooltron	FD4010S12W5-71			0.72	Sleeve	5.80	2.50	24.10		
Jamicon	KF0410-1L-03			0.72	Sleeve	4.37	1.70	19.90		
Cooltron	FD4010S12W3-71			0.60	Sleeve	4.60	2.40	20.50		
Jamicon	KF0410B2H-03		24	24	1.20	2 Ball	6.42	3.28		26.40
Cooltron	FD4010B24W5-61				1.44	2 Ball	6.60	2.90		27.20
	FD4010B24W7-71				1.20	2 Ball	6.60	3.40		25.50
Jamicon	KF0410B2M-03				0.96	2 Ball	5.75	2.69		24.40
Cooltron	FD4010B24W5-71				0.96	2 Ball	5.80	2.50		24.10
Jamicon	KF0410B2L-03				0.72	2 Ball	4.37	1.70		19.90
Cooltron	FD4010B24W3-71				0.72	2 Ball	4.60	2.40		20.50
Jamicon	KF0410-2H-03				1.20	Sleeve	6.42	3.28		26.40
Cooltron	FD4010S24W5-61	1.44	Sleeve	6.60	2.90	27.20				
	FD4010S24W7-71	1.20	Sleeve	6.60	3.40	25.50				
Jamicon	KF0410-2M-03	0.96	Sleeve	5.75	2.69	24.40				



Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Cooltron	FD4010S24W5-71	40x40x15	24	0.96	Sleeve	5.80	2.50	24.10	
Jamicon	KF0410-2L-03			0.72	Sleeve	4.37	1.70	19.90	
Cooltron	FD4010S24W3-71			0.72	Sleeve	4.60	2.40	20.50	
Jamicon	KF0420-5H-01	40x40x20	5	1.15	2 Ball/Sleeve	9.50	7.52	32.60	 <p>FD4020-71</p>
Cooltron	FD4020B/S05W9-71			1.30	2 Ball/Sleeve	8.90	5.70	32.60	
Jamicon	KF0420-5M-01			0.75	2 Ball/Sleeve	7.73	5.18	26.50	
Cooltron	FD4020B/S05W7-71			0.80	2 Ball/Sleeve	7.30	4.10	28.20	
Jamicon	KF0420-5L-01			0.45	2 Ball/Sleeve	6.24	3.40	22.00	
Cooltron	FD4020B/S05W5-71			0.55	2 Ball/Sleeve	5.90	2.60	22.80	
Jamicon	KF0510B5H-01	50x50x10	5	1.10	2 Ball	13.04	3.50	29.00	 <p>FD5010-71</p>
Cooltron	FD5010B05W7-61			1.50	2 Ball	13.60	3.40	31.00	
Jamicon	KF0510B5M-01			0.70	2 Ball	11.23	2.77	26.20	
Cooltron	FD5010B05W5-61			1.00	2 Ball	11.30	2.60	27.20	
Jamicon	KF0510B5L-01			0.45	2 Ball	8.72	1.52	21.20	
Cooltron	FD5010B05W3-61			0.70	2 Ball	8.90	1.60	21.30	
	FD5010B05W3-71			0.60	2 Ball	7.50	1.80	20.20	
Jamicon	KF0510-5H-01					1.15	Sleeve	13.04	




Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image	
Cooltron	FD5010S05W7-61	50x50x10	5	1.50	Sleeve	13.60	3.40	31.00	   FD5010-61	
Jamicon	KF0510-5M-01			0.75	Sleeve	11.23	2.77	26.20		
Cooltron	FD5010S05W5-61			1.00	Sleeve	11.30	2.60	27.20		
Jamicon	KF0510-5L-01			0.50	Sleeve	8.72	1.52	21.20		
Cooltron	FD5010S05W3-61			0.70	Sleeve	8.90	1.60	21.30		
	FD5010S05W3-71			0.60	Sleeve	7.50	1.80	20.20		
Jamicon	KF0510B1H-01		12	5	1.32	2 Ball	13.04	3.50	29.00	   FD5010-61
Cooltron	FD5010B12W7-61				1.93	2 Ball	13.60	3.40	31.00	
	FD5010B12W7-71				1.56	2 Ball	11.40	2.80	29.20	
Jamicon	KF0510B1M-01				0.84	2 Ball	11.23	1.52	21.20	
Cooltron	FD5010B12W3-61				0.84	2 Ball	8.90	1.60	21.30	
	FD5010B12W5-61				0.96	2 Ball	11.30	2.60	27.20	
Jamicon	KF0510B1L-01			0.60	2 Ball	8.72	1.52	21.20		
Cooltron	FD5010B12W3-61			0.84	2 Ball	8.90	1.60	21.30	   FD5010-71	
Jamicon	KF0510-1H-01	1.44		Sleeve	13.04	3.50	29.00			
Cooltron	FD5010S12W7-61	1.93		Sleeve	13.60	3.40	31.00			
	FD5010S12W7-71	1.56		Sleeve	11.40	2.80	29.20			
Jamicon	KF0510-1M-01	1.08		Sleeve	11.23	1.52	21.20			
Cooltron	FD5010S12W3-61	0.84		Sleeve	8.90	1.60	21.30			

Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Cooltron	FD5010S12W5-61	50x50x10	12	0.96	Sleeve	11.30	2.60	27.20	 FD5010-71
Jamicon	KF0510-1L-01			0.72	Sleeve	8.72	1.52	21.20	
Cooltron	FD5010S12W3-61			0.84	Sleeve	8.90	1.60	21.30	
Jamicon	KF0510B2M-01		24	1.20	2 Ball	11.23	2.77	26.20	
Cooltron	FD5010B24W5-71			1.20	2 Ball	9.70	2.30	25.30	
	FD5010B24W7-71			1.44	2 Ball	11.40	2.80	29.20	
Jamicon	KF0510B2L-01			0.96	2 Ball	8.72	1.52	21.20	
Cooltron	FD5010B24W3-71			0.96	2 Ball	7.50	1.80	20.20	
Jamicon	KF0510-2M-01			1.44	Sleeve	11.23	2.77	26.20	
Cooltron	FD5010S24W5-71			1.20	Sleeve	9.70	2.30	25.30	
	FD5010S24W7-71			1.44	Sleeve	11.40	2.80	29.20	
Jamicon	KF0510-2L-01			1.20	Sleeve	8.72	1.52	21.20	
Cooltron	FD5010S24W3-71			0.96	Sleeve	7.50	1.80	20.20	
Jamicon	JF0515-1M-01	50x50x15	12	1.44	2 Ball/Sleeve	14.63	4.34	31.70	 FD5015-61
Cooltron	FD5015B/S12W7-61			1.92	2 Ball/Sleeve	14.60	4.40	31.00	
	FD5015B/S12W5-61			1.68	2 Ball/Sleeve	12.80	3.90	30.10	
Jamicon	JF0515-1L-01			1.20	2 Ball/Sleeve	13.03	3.63	28.60	
Cooltron	FD5015B/S12W3-61			1.56	2 Ball/Sleeve	11.20	3.30	28.10	




Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Jamicon	JF0515-2M-01	50x50x15	24	1.92	2 Ball/Sleeve	14.63	4.34	31.70	 FD5015-61
Cooltron	FD5015B/S24W7-61			2.40	2 Ball/Sleeve	14.60	4.40	31.00	
Jamicon	JF0515-2L-01			1.44	2 Ball/Sleeve	13.03	3.63	28.60	
Cooltron	FD5015B/S24W3-61			1.44	2 Ball/Sleeve	11.20	3.30	25.10	
Jamicon	KF0610-1H-01	60x60x10	12	2.76	2 Ball	21.23	4.39	36.00	 FD6010-71
Cooltron	FD6010B12W5-71			2.76	2 Ball	22.10	4.10	35.00	
Jamicon	KF0610-1M-01			1.92	2 Ball	18.67	3.48	31.90	
Cooltron	FD6010B12W3-71			2.04	2 Ball	18.30	2.90	30.70	
Jamicon	KF0610-1L-01			1.56	2 Ball	15.50	2.39	27.20	
	KF0610-1E-01			1.32	2 Ball	13.71	1.91	24.10	
Cooltron	FD6010B12W2-71			1.56	2 Ball	14.80	2.00	26.40	
Jamicon	KF0615-5L-01	60x60x15	5	1.15	2 Ball/Sleeve	16.31	2.95	26.80	 FD6015-71
Cooltron	FD6015B/S05W7-71			1.25	2 Ball/Sleeve	15.90	1.60	27.70	
Jamicon	KF0615-5E-01			0.80	2 Ball/Sleeve	13.96	2.21	23.00	
Cooltron	FD6015B/S05W3-81			2.75	2 Ball/Sleeve	15.80	2.30	24.10	
Jamicon	KF0615-5V-01			0.50	2 Ball/Sleeve	11.53	1.57	20.10	
Cooltron	FD6015B/S05W3-71			0.70	2 Ball/Sleeve	10.50	0.80	20.30	
Jamicon	KF0615-1L-01		12	1.20	2 Ball/Sleeve	16.31	2.95	26.80	


Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Cooltron	FD6015B/S12W7-71	60x60x15	12	1.68	2 Ball/Sleeve	16.90	2.00	25.60	 <p>FD6015-81</p> <p>FD6015-71</p>
Jamicon	KF0615-1E-01			0.96	2 Ball/Sleeve	13.96	2.21	23.00	
Cooltron	FD6015B/S12W5-71			1.44	2 Ball/Sleeve	14.50	1.50	21.40	
Jamicon	KF0615-1V-01			0.72	2 Ball/Sleeve	11.53	1.57	20.10	
Cooltron	FD6015B/S12W3-71			0.96	2 Ball/Sleeve	11.10	1.00	19.40	
Jamicon	JF0615-5HR00		5	1.25	2 Ball/Sleeve	15.45	4.19	30.50	
Jamicon	JF0615-5MR00			1.00	2 Ball/Sleeve	13.58	3.56	28.80	
Cooltron	FD6015B/S05W7-71			1.25	2 Ball/Sleeve	15.90	1.60	27.70	
Jamicon	JF0615-5E-00			0.70	2 Ball/Sleeve	9.82	2.06	21.20	
Cooltron	FD6015B/S05W3-71			0.70	2 Ball/Sleeve	10.50	0.80	20.30	
Jamicon	JF0615-1M-00		12	1.44	2 Ball/Sleeve	13.58	3.56	28.80	
Jamicon	JF0615-5L-00			1.20	2 Ball/Sleeve	11.86	2.72	25.40	
Cooltron	FD6015B/S12W3-81			1.80	2 Ball/Sleeve	15.80	2.30	24.10	
Jamicon	JF0615-1E-00			0.96	2 Ball/Sleeve	9.82	2.06	21.20	
Cooltron	FD6015B/S12W1-82			0.96	2 Ball/Sleeve	10.80	1.30	20.10	
Cooltron	FD6015B/S12W5-71		1.44	2 Ball/Sleeve	14.50	1.50	21.40		
Jamicon	JF0615-1V-00		0.84	2 Ball/Sleeve	8.39	1.50	17.90		
Cooltron	FD6015B/S12W3-71		0.96	2 Ball/Sleeve	11.10	1.00	19.40		
Jamicon	JF0615-2L-00		24	2.16	2 Ball/Sleeve	11.86	2.72	25.40	



Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Cooltron	FD6015B/S24W3-81	60x60x15	24	2.40	2 Ball/Sleeve	15.80	2.30	24.10	 FD6015-81
Jamicon	JF0615-2H-00			3.12	2 Ball/Sleeve	15.45	4.19	30.50	
Cooltron	FD6015B/S24W5-81			3.60	2 Ball/Sleeve	20.70	3.80	29.80	
Jamicon	JF0615B2UR00			2.64	2 Ball/Sleeve	18.87	5.58	37.50	
Cooltron	FD6015B/S24W7-81			4.80	2 Ball/Sleeve	25.00	5.20	35.00	
Jamicon	JF0620-1S-00	60x60x20	12	2.04	2 Ball/Sleeve	17.41	6.27	32.80	 FD6020-71
Jamicon	JF0620-1H-00			1.80	2 Ball/Sleeve	15.56	4.98	29.40	
Cooltron	FD6020B/S12W5-71			2.04	2 Ball/Sleeve	20.90	3.80	28.20	
Jamicon	JF0620-1L-00			1.20	2 Ball/Sleeve	12.06	3.23	23.60	
Cooltron	FD6020B/S12W3-71			1.44	2 Ball/Sleeve	17.00	2.60	23.10	
Jamicon	JF0620-1E-00			1.08	2 Ball/Sleeve	10.13	2.29	20.30	
Jamicon	JF0620-1V-00			0.84	2 Ball/Sleeve	8.48	1.73	17.10	
Cooltron	FD6020B/S12W2-71			0.96	2 Ball/Sleeve	12.70	1.50	19.40	
Jamicon	KF0620-1M-01	60x60x20	12	2.40	2 Ball/Sleeve	22.40	4.72	32.40	 FD6020-71
Jamicon	KF0620-1L-01			1.68	2 Ball/Sleeve	19.45	3.61	27.80	
Cooltron	FD6020B/S12W5-71			2.04	2 Ball/Sleeve	20.90	3.80	28.20	
Jamicon	JF0620-1E-01			1.20	2 Ball/Sleeve	16.66	2.68	25.20	
Cooltron	FD6020B/S12W3-71			1.44	2 Ball/Sleeve	17.00	2.60	23.10	


Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image		
Jamicon	JF0620-1V-01	60x60x20	12	0.84	2 Ball/Sleeve	13.82	1.83	20.70			
Cooltron	FD6020B/S12W2-71			0.96	2 Ball/Sleeve	12.70	1.50	19.40			
Jamicon	JF0625B1UR00	60x60x25	12	3.48	2 Ball	26.96	9.07	39.60	 <p align="right">FD6025-71</p>		
Jamicon	JF0625-1S-00			2.64	2 Ball/Sleeve	24.27	7.42	35.70			
Cooltron	FD6025B/S12W7-71			2.64	2 Ball/Sleeve	27.10	7.20	33.30			
Jamicon	JF0625-1H-00			2.40	2 Ball/Sleeve	21.44	6.02	34.10			
Cooltron	FD6025B/S12W5-71			1.68	2 Ball/Sleeve	21.70	4.80	28.40			
	FD6025B/S12W3-81			2.40	2 Ball/Sleeve	22.40	3.60	30.40			
Jamicon	JF0625-1M-00			1.92	2 Ball/Sleeve	19.00	4.70	31.30			
Cooltron	FD6025B/S12W5-71			1.68	2 Ball/Sleeve	21.70	4.80	28.40			
Jamicon	JF0625-1L-00			1.56	2 Ball/Sleeve	16.76	3.68	27.30			
Cooltron	FD6025B/S12W3-71			0.96	2 Ball/Sleeve	16.30	2.40	21.70			
Jamicon	JF0625-1V-00			0.96	2 Ball/Sleeve	11.72	1.93	20.20			
Cooltron	FD6025B/S12W1-71			0.96	2 Ball/Sleeve	13.60	1.20	18.40			
Jamicon	JF0625B2UR00			60x60x25	24	3.84	2 Ball	26.96		9.07	39.60
	JF0625-2S-00					3.12	2 Ball/Sleeve	24.27		7.42	35.70
Cooltron	FD6025B/S24W7-71	3.36	2 Ball/Sleeve			27.10	7.20	33.30			
	FD6025B/S24W9-71	4.08	2 Ball/Sleeve			26.40	5.70	33.30			




Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Jamicon	JF0625-2H-00	60x60x25	24	2.88	2 Ball/Sleeve	21.44	6.02	34.10	 FD6025-81
	JF0625-2M-00			2.64	2 Ball/Sleeve	19.00	4.70	31.30	
Cooltron	FD6025B/S24W5-71			2.40	2 Ball/Sleeve	21.70	4.80	28.40	
Jamicon	JF0625-2E-00			1.68	2 Ball/Sleeve	14.24	2.74	22.74	
Cooltron	FD6025B/S12W3-71			2.16	2 Ball/Sleeve	16.30	2.40	21.70	
Jamicon	JF0625B4SR00		48	4.32	2 Ball	24.27	7.42	35.70	
	JF0625B4HR00			3.36	2 Ball	21.44	6.02	34.10	
Cooltron	FD6025B48W5-81			3.84	2 Ball	24.30	5.00	34.60	
Jamicon	JF0625B4MR00			2.88	2 Ball	19.00	4.70	31.30	
Cooltron	FD6025B48W3-81			3.36	2 Ball	22.40	3.60	30.40	
Jamicon	JF0625-1S-01	60x60x25	12	2.64	2 Ball/Sleeve	24.12	6.68	37.20	 FD6025-71
Cooltron	FD6025B/S12W7-71			2.64	2 Ball/Sleeve	27.10	7.20	33.30	
Jamicon	JF0625-1H-01			2.40	2 Ball/Sleeve	21.56	5.46	34.50	
Cooltron	FD6025B/S12W5-71			1.68	2 Ball/Sleeve	21.70	4.80	28.40	
	FD6025B/S12W3-81			2.40	2 Ball/Sleeve	22.40	3.60	30.40	
Jamicon	JF0625-1M-01			1.92	2 Ball/Sleeve	19.15	4.37	30.50	
Cooltron	FD6025B/S12W5-71			1.68	2 Ball/Sleeve	21.70	4.80	28.40	
Jamicon	JF0625-1L-00			1.56	2 Ball/Sleeve	16.78	3.40	27.40	




Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Cooltron	FD6025B/S12W3-71	60x60x25	12	0.96	2 Ball/Sleeve	16.30	2.40	21.70	 <p>FD6025-71</p>
Jamicon	JF0625-2S-01		24	3.12	Ball	24.12	6.68	37.20	
Cooltron	FD6025B24W7-71			3.36	Ball	27.10	7.20	33.30	
	FD6025B24W9-71			4.08	Ball	26.40	5.70	33.30	
Jamicon	JF0625-2H-01			2.88	2 Ball/Sleeve	21.56	5.46	34.50	
	JF0625-2M-01			2.64	2 Ball/Sleeve	19.15	4.37	30.50	
Cooltron	FD6025B/S24W5-71			2.40	2 Ball/Sleeve	21.70	4.80	28.40	
Jamicon	JF0625-2E-01			1.68	2 Ball/Sleeve	14.26	2.46	23.10	
Cooltron	FD6025B/S12W3-71			2.16	2 Ball/Sleeve	16.30	2.40	21.70	
Jamicon	JF0715-1SR01			70x70x15	12	4.20	Ball	40.45	
Cooltron	FD7015B12W9-81	6.00	Ball			42.90	5.90	39.50	
Jamicon	JF0715-1HR01	3.60	2 Ball/Sleeve			34.05	4.42	37.10	
Cooltron	FD7015B/S12W7-81	4.80	2 Ball/Sleeve			37.00	4.40	34.80	
	FD7015B/S12W7-61	4.20	2 Ball/Sleeve			33.50	4.40	38.80	
Jamicon	JF0715-1M-01	2.28	2 Ball/Sleeve			29.16	3.40	32.70	
Cooltron	FD7015B/S12W5-81	3.00	2 Ball/Sleeve			30.10	3.12	31.40	
	FD7015B/S12W5-61	3.00	2 Ball/Sleeve			28.00	3.30	34.00	
Jamicon	JF0715-1L-01	1.44	2 Ball/Sleeve			24.00	2.36	28.20	
Cooltron	FD7015B/S12W3-81	1.80	2 Ball/Sleeve			24.90	2.20	25.00	


Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image		
Cooltron	FD7015B/S12W3-61	70x70x15	12	1.92	2 Ball/Sleeve	22.90	2.30	30.10			
Jamicon	JF0815-1UR03	80x80x15	12	3.72	2 Ball	41.75	4.70	38.00	 <p align="right">FD8015-81</p>		
Cooltron	FD8015B12W5-82			4.20	2 Ball	43.70	4.00	35.00			
Jamicon	JF0815-1SR03			2.40	2 Ball/Sleeve	36.50	3.68	35.20			
Cooltron	FD8015B/S12W3-81			3.00	2 Ball/Sleeve	36.20	4.30	35.80			
Cooltron	FD8015B/S12W3-82			3.00	2 Ball/Sleeve	38.20	2.80	31.20			
Jamicon	JF0815-1H-03			1.80	2 Ball/Sleeve	31.22	2.82	30.30		 <p align="right">FD8015-81</p>	
Cooltron	FD8015B/S12W1-81			1.80	2 Ball/Sleeve	30.20	2.90	30.50			
	FD8015B/S12W7-71			2.04	2 Ball/Sleeve	31.10	2.50	33.50			
Jamicon	JF0815-1M-03			1.20	2 Ball/Sleeve	25.79	2.06	25.60			
Cooltron	FD8015B/S12W1-82			1.80	2 Ball/Sleeve	30.40	1.80	24.60			
	FD8015B/S12W5-71			1.68	2 Ball/Sleeve	25.60	1.70	28.90			
Jamicon	JF0815-2UR03			24	12	3.60	2 Ball	41.75	4.70	38.00	 <p align="right">FD8015-71</p>
Cooltron	FD8015B24W5-82					6.00	2 Ball	43.70	4.00	35.00	
Jamicon	JF0815-2SR03					2.64	2 Ball	36.50	3.68	35.20	
Cooltron	FD8015B12W3-81					3.60	2 Ball	36.20	4.30	35.80	
	FD8015B24W3-82					3.60	2 Ball	38.20	2.80	31.20	
Jamicon	JF0815-2H-03	2.16	2 Ball/Sleeve			31.22	2.82	30.30			
Cooltron	FD8015B/S24W1-82	2.40	2 Ball/Sleeve			30.40	1.80	24.60			



Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image			
Cooltron	FD8015B/S24W1-81	80x80x15	24	2.40	2 Ball/Sleeve	30.20	2.90	30.50	 FD8015-71			
	FD8015B/S24W7-71			3.36	2 Ball/Sleeve	31.10	2.50	33.50				
Jamicon	JF0815-2M-03			1.44	2 Ball/Sleeve	25.79	2.06	25.60				
Cooltron	FD8015B/S24W1-82			2.40	2 Ball/Sleeve	30.40	1.80	24.60				
	FD8015B/S24W5-71			2.40	2 Ball/Sleeve	25.60	1.70	28.90				
Jamicon	JF0820-1UR01			80x80x20	12	3.24	Ball	41.87		5.66	39.60	 FD8020-71
	JF0820-1SR01	2.40	2 Ball/Sleeve			36.55	4.52	35.50				
Cooltron	FD8020B/S12W7-81	2.64	2 Ball/Sleeve			42.40	3.20	34.60				
	FD8020B/S12W7-71	2.76	2 Ball/Sleeve			38.20	4.00	32.50				
Jamicon	JF0820-1H-01	1.68	2Ball/Sleeve			31.09	3.43	31.40				
Cooltron	FD8020B/S12W5-71	2.04	2 Ball/Sleeve			32.30	3.00	28.00				
Cooltron	FD8020B/S12W5-81	2.04	2 Ball/Sleeve			35.30	2.30	29.10				
Jamicon	JF0820-1M-01	0.96	2 Ball/Sleeve			25.75	2.46	26.50				
Cooltron	FD8020B/S12W3-71	1.56	2 Ball/Sleeve			27.00	2.20	23.90				
Jamicon	JF0820-2UR01	24	24			1.56	2 Ball	41.87	5.66	39.60	 FD8020-81	
Cooltron	FD8020B24W9-81					6.00	2 Ball	50.40	3.90	38.80		
Jamicon	JF0820-2SR01					2.40	2 Ball/Sleeve	36.55	4.52	35.50		
Cooltron	FD8020B/S24W7-71					3.12	2 Ball/Sleeve	38.20	4.00	32.50		
Jamicon	JF0820-2H-01					1.68	2 Ball/Sleeve	31.09	3.43	31.40		

Cross List - Cooltron vs Jamicon


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image	
Cooltron	FD8020B/S24W5-71	80x80x20	24	2.40	2 Ball/Sleeve	32.30	3.00	28.00	 <p>FD8020-71</p>	
	FD8020B/S12W5-81			3.60	2 Ball/Sleeve	30.10	3.12	31.40		
Jamicon	JF0820-2M-01			1.44	2 Ball/Sleeve	25.75	2.46	26.50		
Cooltron	FD8020B/S24W3-71			1.92	2 Ball/Sleeve	27.00	2.20	23.90		
Jamicon	JF0820-2L-01			0.96	2 Ball/Sleeve	20.44	1.65	21.30		
Cooltron	FD8020B/S24W4-82			1.92	2 Ball/Sleeve	25.40	1.30	22.20		
Jamicon	JF0825B1UR00			80x80x25	12	4.44	2 Ball	52.06		5.77
Cooltron	FD8025B12W9-82	4.08	2 Ball			50.70	4.90	39.00		
	FD8025B12W9-61	4.80	2 Ball			57.70	6.40	41.70		
Jamicon	JF0825-1H-00	2.28	2 Ball/Sleeve			38.74	3.61	31.00		
Cooltron	FD8025B/S12W7-61	2.76	2 Ball/Sleeve			42.20	3.40	32.00		
Jamicon	JF0825-1M-00	1.56	2 Ball/Sleeve			32.52	2.51	27.80		
Cooltron	FD8025B/S12W5-61	1.92	2 Ball/Sleeve			34.40	2.30	27.20		
Jamicon	JF0825-1L-00	1.08	2 Ball/Sleeve			25.54	1.70	22.20		
Cooltron	FD8025B/S12W4-82	1.68	2 Ball/Sleeve			25.40	1.30	22.20		
	FD8025B/S12W3-61	1.56	2 Ball/Sleeve			27.30	1.50	22.30		
Jamicon	JF0825-1E-00	0.72	2 Ball/Sleeve			19.90	0.99	15.90		
Cooltron	FD8025B/S12W3-82	0.60	2 Ball/Sleeve			17.10	0.60	13.90		
Jamicon	JF0825B2TR00		24			6.48	2 Ball	57.84	6.91	42.40

Cross List - Cooltron vs Jamicon


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Cooltron	FD8025B24W10-82	80x80x25	24	7.20	2 Ball	61.20	5.40	43.20	 <p>FD8025-82</p>
Jamicon	JF0825B2UR00			5.04	2 Ball	52.06	5.77	40.00	
Cooltron	FD8025B24W9-82			5.52	2 Ball	50.70	4.90	39.00	
Jamicon	JF0825-2H-00			3.12	2 Ball/Sleeve	38.74	3.61	31.00	
Cooltron	FD8025B/S24W7-61			3.60	2 Ball/Sleeve	42.20	3.40	32.00	
Jamicon	JF0825-2M-00			2.40	2 Ball/Sleeve	32.52	2.51	27.80	
Cooltron	FD8025B/S24W5-61			2.88	2 Ball/Sleeve	34.40	2.30	27.20	
Jamicon	JF0825-2L-00			1.92	2 Ball/Sleeve	25.54	1.70	22.20	
Cooltron	FD8025B/S24W4-82			1.92	2 Ball/Sleeve	25.40	1.30	22.20	 <p>FD8025-61</p>
	FD8025B/S24W3-61			2.16	2 Ball/Sleeve	27.30	1.50	22.30	
Jamicon	JF0825B4LR00			2.40	2 Ball	25.54	1.70	22.20	
Cooltron	FD8025B48W4-82			3.84	2 Ball	25.40	1.30	22.20	
Jamicon	JF0825B4MR00			2.88	2 Ball	32.52	2.51	27.80	
Cooltron	FD8025B48W7-82			4.80	2 Ball	34.60	2.20	29.00	
Jamicon	JF0825B4SR00			4.80	2 Ball	45.46	4.80	35.80	
Cooltron	FD8025B48W3-82			5.76	2 Ball	42.20	3.00	34.60	
Jamicon	JF0825-1UR01	80x80x25	12	4.44	2 Ball	52.20	6.15	40.70	
Cooltron	FD8025B12W9-82			4.08	2 Ball	50.70	4.90	39.00	
	FD8025B12W9-61			4.80	2 Ball	57.70	6.40	41.70	

**JAMICON IS REGISTERED TRADEMARK OF KAIMEI ELECTRONIC CORP.

Cross List - Cooltron vs Jamicon


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Jamicon	JF0825-1SR01	80X80X25	12	3.12	2 Ball/Sleeve	45.50	4.85	36.70	
Cooltron	FD8025B/S12W9-82			4.08	2 Ball/Sleeve	50.70	4.90	39.00	
	FD8025B/S12W7-82			2.88	2 Ball/Sleeve	42.20	3.00	34.60	
Jamicon	JF0825-1H-01			2.28	2 Ball/Sleeve	38.39	3.58	32.10	
Cooltron	FD8025B/S12W7-61			2.76	2 Ball/Sleeve	42.20	3.40	32.00	
Jamicon	JF0825-1M-01			1.56	2 Ball/Sleeve	32.41	2.49	28.80	
Cooltron	FD8025B/S12W5-61			1.92	2 Ball/Sleeve	34.40	2.30	27.20	
Jamicon	JF0825-1L-01			1.08	2 Ball/Sleeve	25.66	1.65	22.40	
Cooltron	FD8025B/S12W3-71			0.96	2 Ball/Sleeve	26.40	1.70	21.40	
	FD8025B/S12W4-82			1.68	2 Ball/Sleeve	25.40	1.30	22.20	
	FD8025B/S12W3-61			1.56	2 Ball/Sleeve	27.30	1.50	22.30	
Jamicon	JF0825-1E-01			0.72	2 Ball/Sleeve	18.93	0.99	13.90	
Cooltron	FD8025B/S12W3-82			0.60	2 Ball/Sleeve	17.10	0.60	13.90	
Jamicon	JF0825-2TR01			24		6.48	2 Ball	58.10	
Cooltron	FD8025B24W10-82		7.20			2 Ball	61.20	5.40	43.20
Jamicon	JF0825-2UR01		5.04			2 Ball	52.20	6.15	40.70
Cooltron	FD8025B24W9-82		5.52			2 Ball	50.70	4.90	39.00
Jamicon	JF0825-2SR01		3.84			2 Ball/Sleeve	45.50	4.85	36.70
Cooltron	FD8025B/S24W7-61		3.60			2 Ball/Sleeve	42.20	3.40	32.00

Cross List - Cooltron vs Jamicon



Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Cooltron	FD8025B/S24W9-82	80x80x25	24	5.52	2 Ball/Sleeve	50.70	4.90	39.00	 <p>FD8025-82</p>
Jamicon	JF0825-2H-01			3.12	2 Ball/Sleeve	38.39	3.58	32.10	
Cooltron	FD8025B/S24W7-61			3.60	2 Ball/Sleeve	42.20	3.40	32.00	
Jamicon	JF0825-2M-01			2.40	2 Ball/Sleeve	32.41	2.49	28.80	
Cooltron	FD8025B/S24W5-61			2.88	2 Ball/Sleeve	34.40	2.30	27.20	
Jamicon	JF0825-2L-01			1.92	2 Ball/Sleeve	25.66	1.65	22.40	
Cooltron	FD8025B/S24W3-61			2.16	2 Ball/Sleeve	27.30	1.50	22.30	
Jamicon	JF0825B4LR01		48	2.40	2 Ball	25.66	1.65	22.40	
Cooltron	FD8025B48W4-82			3.84	2 Ball	25.40	1.30	22.20	
Jamicon	JF0825B4MR01			2.88	2 Ball	32.41	2.49	28.80	
Cooltron	FD8025B48W7-82			4.80	2 Ball	34.60	2.20	29.00	
Jamicon	JF0825B4SR01			4.80	2 Ball	45.50	4.85	36.70	
Cooltron	FD8025B48W3-82			5.76	2 Ball	42.20	3.00	34.60	
Jamicon	JF0825-1UR02			80x80x25	12	4.44	2 Ball	52.90	
Cooltron	FD8025B12W9-82	4.08	2 Ball			50.70	4.90	39.00	
	FD8025B12W9-61	4.80	2 Ball			57.70	6.40	41.70	
Jamicon	JF0825-1SR02	3.12	2 Ball/Sleeve			45.00	4.75	35.90	
Cooltron	FD8025B/S12W9-82	4.08	2 Ball/Sleeve			50.70	4.90	39.00	
	FD8025B/S12W7-82	2.88	2 Ball/Sleeve			42.20	3.00	34.60	

**JAMICON IS REGISTERED TRADEMARK OF KAIMEI ELECTRONIC CORP.

Cross List - Cooltron vs Jamicon



Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Jamicon	JF0825-1H-02	80x80x25	24	2.28	2 Ball/Sleeve	38.67	3.71	31.40	 <p>FD8025-61</p> <p>FD8025-82</p>
Cooltron	FD8025B/S12W7-61			2.76	2 Ball/Sleeve	42.20	3.40	32.00	
Jamicon	JF0825-1M-02			1.56	2 Ball/Sleeve	32.42	2.54	27.90	
Cooltron	FD8025B/S12W5-61			1.92	2 Ball/Sleeve	34.40	2.30	27.20	
Jamicon	JF0825-1L-02			1.08	2 Ball/Sleeve	25.81	1.68	22.10	
	FD8025B/S12W3-71			0.96	2 Ball/Sleeve	26.40	1.70	21.40	
Cooltron	FD8025B/S12W3-61			1.56	2 Ball/Sleeve	27.30	1.50	22.30	
Jamicon	JF0825-1E-02			0.72	2 Ball/Sleeve	19.43	0.99	17.50	
Cooltron	FD8025B/S12W3-82			0.60	2 Ball/Sleeve	17.10	0.60	13.90	
	FD8025B/S12W3-85			1.68	2 Ball/Sleeve	19.00	1.30	18.90	
Jamicon	JF0825-2TR02			6.48	2 Ball	59.12	6.91	43.50	
Cooltron	FD8025B24W10-82			7.20	2 Ball	61.20	5.40	43.20	
Jamicon	JF0825-2UR02			5.04	2 Ball	52.90	5.84	40.80	
Cooltron	FD8025B24W9-82			5.52	2 Ball	50.70	4.90	39.00	
Jamicon	JF0825-2SR02			3.84	2 Ball/Sleeve	45.00	4.75	35.90	
Cooltron	FD8025B/S24W7-61			3.60	2 Ball/Sleeve	42.20	3.40	32.00	
	FD8025B/S24W9-82			5.52	2 Ball/Sleeve	50.70	4.90	39.00	
Jamicon	JF0825-2H-02			3.12	2 Ball/Sleeve	38.67	3.71	31.40	
Cooltron	FD8025B/S24W7-61	3.60	2 Ball/Sleeve	42.20	3.40	32.00			

Cross List - Cooltron vs Jamicon



Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image	
Jamicon	JF0825-2M-02	80x80x25	24	2.40	2 Ball/Sleeve	32.42	2.54	27.90	 <p>FD8025-82</p>	
Cooltron	FD8025B/S24W5-61			2.88	2 Ball/Sleeve	34.40	2.30	27.20		
Jamicon	JF0825-2L-02			1.92	2 Ball/Sleeve	25.81	1.68	22.10		
Cooltron	FD8025B/S24W3-61			2.16	2 Ball/Sleeve	27.30	1.50	22.30		
Jamicon	JF0825B4LR02		48		2.40	2 Ball	25.81	1.68		22.10
Cooltron	FD8025B48W4-82				3.84	2 Ball	25.40	1.30		22.20
Jamicon	JF0825B4MR02				2.88	2 Ball	32.42	2.54		27.90
Cooltron	FD8025B48W7-82				4.80	2 Ball	34.60	2.20		29.00
Jamicon	JF0825B4SR02				4.80	2 Ball	45.00	4.75		35.90
Cooltron	FD8025B48W3-82				5.76	2 Ball	42.20	3.00		34.60
Jamicon	JF0925-1UR00	92x92x25	12	4.20	2 Ball	67.65	5.18	41.90	 <p>FD9225-71</p>	
Cooltron	FD9225B12W11-81			9.00	2 Ball	70.90	5.60	40.50		
Jamicon	JF0925-1SR00			3.72	2 Ball/Sleeve	60.75	4.37	38.90		
Cooltron	FD9225B/S12W9-81			5.40	2 Ball/Sleeve	66.30	4.70	36.50		
Jamicon	JF0925-1H-00			3.00	2 Ball/Sleeve	52.04	3.63	35.10		
Cooltron	FD9225B/S12W4-71			2.76	2 Ball/Sleeve	58.60	3.30	33.10		
Cooltron	FD9225B/S12W7-81			3.84	2 Ball/Sleeve	55.70	3.50	33.20		
Jamicon	JF0925-1M-00			2.04	2 Ball/Sleeve	46.31	2.92	32.00		

**JAMICON IS REGISTERED TRADEMARK OF KAIMEI ELECTRONIC CORP.

Cross List - Cooltron vs Jamicon


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image	
Cooltron	FD9225B/S12W3-71	92x92x25	12	2.28	2 Ball/Sleeve	47.90	2.20	27.70	 <p>FD9225-81</p>	
	FD9225B/S12W5-81			3.36	2 Ball/Sleeve	46.70	2.50	30.00		
Jamicon	JF0925-1L-00			1.56	2 Ball/Sleeve	38.64	2.03	27.60		
Cooltron	FD9225B/S12W2-71			1.56	2 Ball/Sleeve	41.10	1.70	25.10		
	FD9225B/S12W4-81			2.88	2 Ball/Sleeve	39.00	1.90	25.20		
Jamicon	JF0925-2UR00			24	48	4.20	2 Ball/Sleeve	67.65		5.18
Cooltron	FD9225B/S24W11-81		8.40			2 Ball/Sleeve	70.90	5.60	40.50	
Jamicon	JF0925-2SR00		4.32			2 Ball/Sleeve	60.75	4.37	38.90	
Cooltron	FD9225B/S24W9-81		7.20			2 Ball/Sleeve	66.30	4.70	36.50	
Jamicon	JF0925-2H-00		3.60			2 Ball/Sleeve	52.04	3.63	35.10	
Cooltron	FD9225B/S24W4-71		5.28			2 Ball/Sleeve	58.60	3.30	33.10	
	FD9225B/S24W7-81		4.32			2 Ball/Sleeve	55.70	3.50	33.20	
Jamicon	JF0925-2M-00		2.64			2 Ball/Sleeve	46.31	2.92	32.00	
Cooltron	FD9225B/S24W3-71		4.32			2 Ball/Sleeve	47.90	2.20	27.70	
	FD9225B/S24W5-81		3.36			2 Ball/Sleeve	46.70	2.50	30.00	
Jamicon	JF0925-2L-00		1.92			2 Ball/Sleeve	38.64	2.03	27.60	
Cooltron	FD9225B/S24W2-71	3.60	2 Ball/Sleeve			41.10	1.70	25.10		
	FD9225B/S24W4-81	2.40	2 Ball/Sleeve	39.00	1.90	25.20				
Jamicon	JF0925B4HR00	48	48	4.32	2 Ball	52.04	4.32	35.10	 <p>FD9225-81</p>	
Cooltron	FD9225B48W7-81			7.68	2 Ball	55.70	3.50	33.20		

Cross List - Cooltron vs Jamicon



Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Jamicon	JF0925B4MR00	92X92X25	48	3.84	2 Ball	46.31	2.92	32.00	
Cooltron	FD9225B48W5-81			5.76	2 Ball	46.70	2.50	30.00	
Jamicon	JF0925B4LR00			2.88	2 Ball	38.64	2.03	27.60	
Cooltron	FD9225B48W4-81			3.84	2 Ball	39.00	1.90	25.20	
Jamicon	JF1225B1UR00	120x120x25	12	6.00	2 Ball	100.50	6.83	45.70	 <p>FD1225-81</p>
Cooltron	FD1225B12W5-81			7.20	2 Ball	106.90	3.60	41.20	
Jamicon	JF1225B1SR00			4.44	2 Ball	89.87	5.69	42.80	
Cooltron	FD1225B12W5-61			4.80	2 Ball	94.30	4.90	42.70	
Jamicon	JF1225-1H-00			3.00	2 Ball/Sleeve	80.11	4.72	39.50	
Cooltron	FD1225B/S12W3-81			4.80	2 Ball/Sleeve	88.20	2.50	36.10	
Jamicon	JF1225-1M-00			2.40	2 Ball/Sleeve	69.57	3.73	36.30	
Cooltron	FD1225B/S12W3-61			2.76	2 Ball/Sleeve	79.20	3.60	36.90	
Jamicon	JF1225-1L-00			1.68	2 Ball/Sleeve	59.57	2.82	32.40	 <p>FD1225-61</p>
Cooltron	FD1225B/S12W2-61			2.16	2 Ball/Sleeve	67.10	2.70	33.00	
	FD1225B/S12W2-81			2.16	2 Ball/Sleeve	69.00	1.70	30.50	
	FD1225B/S12W1-61			1.92	2 Ball/Sleeve	59.70	2.40	25.20	
Jamicon	JF1225-1E-00			1.20	2 Ball/Sleeve	47.88	1.98	27.40	
Cooltron	FD1225B/S12W1-81			1.20	2 Ball/Sleeve	52.20	1.00	23.10	
	FD1225B/S12W1-61			1.92	2 Ball/Sleeve	59.70	2.40	25.20	

**JAMICON IS REGISTERED TRADEMARK OF KAIMEI ELECTRONIC CORP.





Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image	
Jamicon	JF1225B2UR00	120x120x25	24	6.72	Ball	100.50	6.83	45.70		
Cooltron	FD1225B24W7-61			9.12	Ball	108.20	6.00	44.60		
	FD1225B24W5-81			7.20	Ball	106.90	3.60	41.20		
Jamicon	JF1225B2SR00			5.04	Ball	89.87	5.69	42.80		
Cooltron	FD1225B24W5-61			8.40	Ball	94.30	4.90	42.70		
Jamicon	JF1225-2H-00			4.80	2 Ball/Sleeve	80.11	4.72	39.50		
Cooltron	FD1225B/S24W3-81			4.80	2 Ball/Sleeve	88.20	2.50	36.10		
Jamicon	JF1225-2M-00			3.36	2 Ball/Sleeve	69.57	3.73	36.30		
Cooltron	FD1225B/S24W3-61			4.80	2 Ball/Sleeve	79.20	3.60	36.90		
Jamicon	JF1225-2L-00			2.64	2 Ball/Sleeve	59.57	2.82	32.40		
Cooltron	FD1225B/S24W2-61			3.12	2 Ball/Sleeve	67.10	2.70	33.00		
Jamicon	JF1225B4UR00			48	6.72	2 Ball	100.50	6.83		45.70
Cooltron	FD1225B48W5-81				9.60	2 Ball	106.90	3.60		41.20
Jamicon	JF1225B4SR00				5.76	2 Ball	89.87	5.69		42.80
Cooltron	FD1225B48W3-61				7.20	2 Ball	88.20	2.50		36.10
Jamicon	KF1225-1HR01			120x120x25	12	3.60	2 Ball/Sleeve	80.49		3.58
Cooltron	FD1225B/S12W3-61	2.76	2 Ball/Sleeve			79.20	3.60	36.90		
	FD1225B/S12W3-81	4.80	2 Ball/Sleeve			88.20	2.50	36.10		





Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Jamicon	KF1225-1M-01	120x120x25	12	2.28	2 Ball/Sleeve	65.63	2.51	32.50	 <p>FD1225-61</p> <p>FD1225-81</p>
Cooltron	FD1225B/S12W2-61			2.16	2 Ball/Sleeve	67.10	2.70	33.00	
Cooltron	FD1225B/S12W2-81			2.16	2 Ball/Sleeve	69.00	1.70	30.50	
Jamicon	KF1225-1L-01			1.56	2 Ball/Sleeve	54.05	1.80	27.40	
Cooltron	FD1225B/S12W1-61			1.92	2 Ball/Sleeve	59.70	2.40	25.20	
Jamicon	KF1225-2HR01		24	4.32	2 Ball/Sleeve	80.49	3.58	38.50	
Cooltron	FD1225B/S24W3-61			4.80	2 Ball/Sleeve	79.20	3.60	36.90	
	FD1225B/S24W3-81			4.80	2 Ball/Sleeve	88.20	2.50	36.10	
Jamicon	KF1225-2M-01			2.88	2 Ball/Sleeve	65.63	2.51	32.50	
Cooltron	FD1225B/S12W2-61			3.12	2 Ball/Sleeve	67.10	2.70	33.00	
Jamicon	JF1238B1TR13	120X120X38	12	15.96	2 Ball	168.90	14.40	53.20	 <p>FD1238-61</p>
Cooltron	FD1238B12W9-81			18.00	2 Ball	183.80	9.20	50.00	
Jamicon	JF1238B1UR13			11.16	2 Ball	151.17	11.66	50.60	
Jamicon	JF1238B1SR13			8.40	2 Ball	135.80	9.04	47.90	
Cooltron	FD1238B12W7-61			7.20	2 Ball	130.40	8.00	45.60	
	FD1238B12W7-81			10.80	2 Ball	154.10	7.20	46.80	
Jamicon	JF1238-1HR13			5.76	2 Ball/Sleeve	118.70	7.14	43.80	
Cooltron	FD1238B/S12W5-61			6.00	2 Ball/Sleeve	116.80	6.90	41.70	



Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Cooltron	FD1238B/S12W5-81	120x120x38	12	8.40	2 Ball/Sleeve	123.30	5.10	41.30	  FD1238-81
Jamicon	JF1238-1MR13			3.96	2 Ball/Sleeve	101.30	5.41	39.10	
Cooltron	FD1238B/S12W3-61			4.80	2 Ball/Sleeve	103.40	5.40	39.80	
	FD1238B/S12W3-81			6.00	2 Ball/Sleeve	100.10	4.10	37.20	
Jamicon	JF1238-1LR13			2.40	2 Ball/Sleeve	84.50	3.94	33.80	
Cooltron	FD1238B/S12W2-61			3.00	2 Ball/Sleeve	85.70	3.80	35.90	
	FD1238B12W2-65			3.00	2 Ball	85.70	3.80	35.90	
Jamicon	JF1238B2TR13			12.72	2 Ball	168.90	14.40	53.20	
Cooltron	FD1238B24W9-81		16.80	2 Ball	183.80	9.20	50.00		
Jamicon	JF1238B2UR13		10.08	2 Ball	151.17	11.66	50.60		
Cooltron	FD1238B24W7-81		12.00	2 Ball	154.10	7.20	46.80		
Jamicon	JF1238B2SR13		8.88	2 Ball	135.80	9.04	47.90		
Cooltron	FD1238B24W7-61		9.60	2 Ball	130.40	8.00	45.60		
	FD1238B24W7-65		9.60	2 Ball	130.40	8.00	45.60		
	FD1238B24W7-81		12.00	2 Ball	154.10	7.20	46.80		
Jamicon	JF1238-2HR13		7.44	2 Ball/Sleeve	118.70	7.14	43.80	  FD1238-61	
Cooltron	FD1238B/S24W5-61		8.40	2 Ball/Sleeve	116.80	6.90	41.70		
	FD1238B/S24W5-81		9.60	2 Ball/Sleeve	123.30	5.10	41.30		
Jamicon	JF1238-2MR13	5.28	2 Ball/Sleeve	101.30	5.41	39.10			



Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Cooltron	FD1238B/S24W3-61	120x120x38	24	7.20	2 Ball/Sleeve	103.50	5.40	39.80	
	FD1238B24W3-65			7.20	2 Ball	103.40	5.40	39.80	
	FD1238B/S24W3-81			7.20	2 Ball/Sleeve	100.10	4.10	37.20	
Jamicon	JF1238-2LR13			3.12	2 Ball/Sleeve	84.50	3.94	33.80	
Cooltron	FD1238B/S24W2-61			4.80	2 Ball/Sleeve	85.70	3.80	35.90	
Jamicon	JF1238B4TR13			13.92	2 Ball	168.90	14.40	53.20	
Cooltron	FD1238B48W7-63		18.24	2 Ball	143.90	12.20	50.60		
	FD1238B48W9-81		24.00	2 Ball	183.80	9.20	50.00		
Jamicon	JF1238B4UR13		12.96	2 Ball	151.17	11.66	50.60		
Cooltron	FD1238B48W7-63		18.24	2 Ball	143.90	12.20	50.60		
	FD1238B48W7-81		19.20	2 Ball	154.10	7.20	46.80		
Jamicon	JF1238B4SR13		9.60	2 Ball	135.80	9.04	47.90		
Cooltron	FD1238B48W7-61		9.60	2 Ball	130.40	8.00	45.60		
	FD1238B48W7-65		9.60	2 Ball	130.40	8.00	45.60		
	FD1238B48W7-81		19.20	2 Ball	154.10	7.20	46.80		
Jamicon	JF1238B4HR13	6.24	2 Ball	118.70	7.14	43.80			
Cooltron	FD1238B48W5-61	8.16	2 Ball	116.80	6.90	41.70			
Jamicon	JF1238B4MR13	4.32	2 Ball	101.30	5.41	39.10			
Cooltron	FD1238B48W3-61	7.20	2 Ball	103.50	5.40	39.80			



Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Cooltron	FD1238B48W3-65	120x120x38	48	7.20	2 Ball	103.40	5.40	39.80	
Jamicon	JF1238B4LR13			3.36	2 Ball	84.50	3.94	33.80	
Cooltron	FD1238B48W2-61			6.24	2 Ball	85.70	3.80	35.90	
	FD1238B48W2-65			6.24	2 Ball	85.70	3.80	35.90	
Jamicon	JA0825H1B0N	80x80x25	115 (50/60Hz)	10.00	2 Ball	15.39	1.60	19.60	 <p>FA8025-61</p>
Cooltron	FA8025B11T5-61			13.00	2 Ball	14.40	1.40	20.40	
Jamicon	JA0825H1B0N			8.00	2 Ball	19.79	2.49	24.70	
Cooltron	FA8025B11T5-61			11.00	2 Ball	19.60	2.80	25.20	
Jamicon	JA0825H2B0N		230 (50/60Hz)	10.00	2 Ball	14.91	1.50	19.70	
Cooltron	FA8025B22T5-61			13.00	2 Ball	14.40	1.40	20.40	
Jamicon	JA0825H2B0N			8.00	2 Ball	18.72	2.21	23.10	
Cooltron	FA8025B22T5-61			11.00	2 Ball	19.60	2.80	25.20	
Jamicon	JA0838BH1B0N	80x80x38	115 (50/60Hz)	13.00	2 Ball	21.42	2.59	25.20	 <p>FA8038-61</p>
Cooltron	FA8038B11T5-61			9.00	2 Ball	22.70	2.90	25.20	
Jamicon	JA0838BH1B0N			10.00	2 Ball	26.46	3.78	32.10	
Cooltron	FA8038B11T5-61			9.00	2 Ball	26.80	4.60	29.10	
Jamicon	JA0838BH2B0N		230 (50/60Hz)	12.00	2 Ball	22.25	2.77	26.30	

Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Cooltron	FA8038B22T5-61	80x80x38	230 (50/60Hz)	7.00	2 Ball	22.70	2.90	25.20	
Jamicon	JA0838BH2B0N			9.00	2 Ball	26.74	3.86	31.90	
Cooltron	FA8038B22T5-61			6.00	2 Ball	26.80	4.60	29.10	
Jamicon	JA0925BH1B0N	92x92x25	115 (50/60Hz)	10.00	2 Ball	23.24	1.37	20.30	 <p style="text-align: right;">FA9225-61</p>
Cooltron	FA9225B11T7-61			13.00	2 Ball	22.70	1.20	21.30	
Jamicon	JA0925BH1B0N			8.00	2 Ball	28.59	1.91	24.90	
Cooltron	FA9225B11T7-61			11.00	2 Ball	30.90	2.00	25.20	
Jamicon	JA1225H1B0N	120x120x25	115 (50/60Hz)	18.00	2 Ball	60.82	4.11	39.40	 <p style="text-align: right;">FA1225C-31</p>
Cooltron	FA1225B11T7C-31			18.00	2 Ball	78.30	4.70	36.90	
Jamicon	JA1225H1B0N			15.00	2 Ball	68.26	4.24	42.50	
Cooltron	FA1225B11T7C-31			19.00	2 Ball	92.70	5.50	41.70	
Jamicon	JA1225H2B0N		230 (50/60Hz)	17.00	2 Ball	60.82	4.11	39.40	
Cooltron	FA1225B22T7C-31			18.00	2 Ball	78.30	4.70	36.90	
Jamicon	JA1225H2B0N			15.00	2 Ball	68.26	4.24	42.50	
Cooltron	FA1225B22T7C-31			19.00	2 Ball	92.70	5.50	41.70	

Cross List - Cooltron vs Jamicon

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mm-H2O)	Noise (dBA)	Product Image
Jamicon	JA1238H1-0N	120x120x38	115 (50/60Hz)	18.00	2 Ball	85.00	7.14	45.00	 <p>FA1238-61</p>
Cooltron	FA1238B11T5-61			19.00	2 Ball	93.70	6.40	37.80	
Jamicon	JA1238H1-0N			15.00	2 Ball	95.00	7.21	47.00	
Cooltron	FA1238B11T5-61			17.00	2Ball	103.00	7.20	40.70	
Jamicon	JA1238H2-0N		230 (50/60Hz)	20.00	2 Ball	85.00	7.14	45.00	
Cooltron	FA1238B22T5-61			16.00	2 Ball	93.70	6.40	37.80	
Jamicon	JA1238H2-0N			17.00	2 Ball	95.00	7.21	47.00	
Cooltron	FA1238B22T5-61			15.00	2 Ball	103.00	7.20	40.70	
Jamicon	KA1238H1-1N	120x120x38	115 (50/60Hz)	21.00	2 Ball	97.00	7.21	42.00	 <p>FA1238C-31</p>
Cooltron	FA1238B11T9C-31			22.00	2 Ball	112.30	9.90	41.70	
	FA1238B11T5-61			19.00	2 Ball	93.70	6.40	37.80	
Jamicon	KA1238H1-1N			18.00	2 Ball	109.00	7.24	45.00	
Cooltron	FA1238B11T5-61			17.00	2 Ball	103.00	7.20	40.70	
Jamicon	KA1238H2-1N	12x120x38	230 (50/60Hz)	21.00	2 Ball	97.00	7.21	42.00	
Cooltron	FA1238B22T5-61			16.00	2 Ball	93.70	6.40	37.80	
Jamicon	KA1238H2-1N			18.00	2 Ball	109.00	7.24	44.00	
Cooltron	FA1238B22T5-61			15.00	2 Ball	103.00	7.20	40.70	
	FA1238B22T7C-31			12.00	2 Ball	112.30	6.70	41.70	